



Rocky Flats Environmental Technology Site

PRE-DEMOLITION SURVEY REPORT (PDSR)

BUILDING 774 1973 ADDITION


REVISION 0

April 14, 2004

**DOES NOT CONTAIN
OFFICIAL USE ONLY INFORMATION**

O. A. Nease
Name/Org *Ember Class* Date *9-16-08*
OK for public release

**CLASSIFICATION REVIEW NOT REQUIRED PER
EXEMPTION NUMBER CEX-005-02**



ADMIN RECORD

B771-A-000294


$\frac{1}{123}$

PRE-DEMOLITION SURVEY REPORT (PDSR)


BUILDING 774 1973 ADDITION

REVISION 0


April 14, 2004

Prepared by: 
Tommy Fontaine, Radiological Engineer


Date: 4-15-04

Reviewed by: 
Albert W. Wolff, Radiological Engineer

Date: 4/15/04

Reviewed by: 
Sarah Roberts, Radiological Safety Manager

Date: 4/15/04

Approved by: 
Chris Gilbreath, B771 Project Manager

Date: 4/15/04

TABLE OF CONTENTS

ABBREVIATIONS/ACRONYMS.....	V
EXECUTIVE SUMMARY.....	VII
1 INTRODUCTION.....	1
1.1 PURPOSE.....	1
1.2 SCOPE.....	1
1.3 DATA QUALITY OBJECTIVES.....	2
1.3.1 <i>The Problem</i>	2
1.3.2 <i>The Decision</i>	2
1.3.3 <i>Inputs to the Decision</i>	2
1.3.4 <i>Decision Boundaries</i>	2
1.3.5 <i>Decision Rules</i>	2
1.3.5.1 Radionuclides.....	3
1.3.5.2 Hazardous Waste.....	3
1.3.5.3 Hazardous Substances.....	3
1.3.5.4 Beryllium.....	3
1.3.5.5 PCBs.....	3
1.3.5.6 Asbestos.....	4
1.3.6 <i>Tolerable Limits on Decision Error</i>	4
1.3.7 <i>Optimization of Plan Design</i>	4
2 HISTORICAL SITE ASSESSMENT.....	4
3 RADIOLOGICAL CHARACTERIZATION AND HAZARDS.....	5
4 CHEMICAL CHARACTERIZATION AND HAZARDS.....	8
4.1 ABESTOS.....	8
4.2 BERYLLIUM (Be).....	8
4.3 RCRA/CERCLA CONSTITUENTS [INCLUDING METALS AND VOLATILE ORGANIC COMPOUNDS (VOCs)].....	9
4.4 POLYCHLORINATED BIPHENYLS (PCBS).....	9
5 PHYSICAL HAZARDS.....	9
6 DATA QUALITY ASSESSMENT.....	9
7 DECOMMISSIONING WASTE TYPES.....	10
8 FACILITY CLASSIFICATION AND CONCLUSIONS.....	10
9 REFERENCES.....	12

ATTACHMENTS

- A Survey Unit Overview Map
- B Survey Unit 771048 Radiological Data Summary and Survey Map
- C Survey Unit 771154 Radiological Data Summary and Survey Map
- D Survey Unit 771056 Radiological Data Summary and Survey Map
- E Survey Unit 771057 Radiological Data Summary and Survey Map

F	Survey Unit 771058 Radiological Data Summary and Survey Map
G	Data Quality Assessment Details
H	Historical Review
I	Chemical Data Summaries and Sample Maps

ABBREVIATIONS/ACRONYMS

ACM	Asbestos Containing Material
Be	Beryllium
CDPHE	Colorado Department of Public Health and the Environment
DCGL _{EMC}	Derived Concentration Guideline Level – elevated measurement comparison
DCGL _w	Derived Concentration Guideline Level – Wilcoxon Rank Sum Test
D&D	Decontamination and Decommissioning
DDCP	Decontamination and Decommissioning Characterization Protocol
DOE	U.S. Department of Energy
DPP	Decommissioning Program Plan
DQA	Data quality assessment
DQOs	Data quality objectives
EPA	U.S. Environmental Protection Agency
FDPM	Facility Disposition Program Manual
HVAC	Heating, ventilation, air conditioning
HSAR	Historical Site Assessment Report
HEUN	Highly Enriched Uranyl Nitrate
IHSS	Individual Hazardous Substance Site
IWCP	Integrated Work Control Package
K-H	Kaiser-Hill
LBP	Lead-based paint
LLW	Low-level waste
MARSSIM	Multi-Agency Radiation Survey and Site Investigation Manual
MDA	Minimum detectable activity
MDC	Minimum detectable concentration
NORM	Naturally occurring radioactive material
NRA	Non-Rad-Added Verification
OSHA	Occupational Safety and Health Administration
PARCC	Precision, accuracy, representativeness, comparability and completeness
PCBs	Polychlorinated Biphenyls
PDS	Pre-demolition survey
PDSR	Pre-demolition survey report
QC	Quality Control
RCRA	Resource Conservation and Recovery Act
RFCA	Rocky Flats Cleanup Agreement
RFETS	Rocky Flats Environmental Technology Site
RFFO	Rocky Flats Field Office
RLC	Reconnaissance Level Characterization
RLCR	Reconnaissance Level Characterization Report
RSA	Removable Surface Activity
RSOP	RFCA Standard Operating Protocol
RSP	Radiological Safety Practices
SVOCs	Semi-volatile organic compounds
TCLP	Toxicity Characteristic Leaching Procedure
TSA	Total surface activity

VOCs	Volatile organic compounds
WSRIC	Waste Stream and Residue Identification and Characterization

EXECUTIVE SUMMARY

A Pre-Demolition Survey was performed to enable compliant disposition and waste management of Rooms 241, 341, and 441 of Building 774 (referred to herein as the Building 774 1973 Addition). Because this Type 3 area will be demolished, the characterization was performed in accordance with the Pre-Demolition Survey Plan (MAN-127-PDSP). Building surfaces characterized as part of this PDS include interiors of Rooms 241, 341, 342, 441, and the south stairwell from Room 241 to 441. The remaining portions of Building 774 have been demolished and disposed of as radioactive waste.

The PDS encompassed both chemical and radiological characterization. The characterization was built upon physical, chemical and radiological hazards identified in the facility-specific *B771 and B774 Hazards Characterization Report for the 771 Closure Project*.

Based upon the results of this PDSR, the 774 1973 Addition meets the unrestricted release limits specified in the site Pre-Demolition Survey Plan. These portions of Building 774 can be demolished and the waste managed as PCB Bulk Product waste or as sanitary waste, and the concrete can be used for backfill on-site per the RFCA RSOP for Recycling Concrete. To ensure that the facility remains free of contamination and PDS data remain valid, Level 2 isolation controls are established.

1 INTRODUCTION

A Pre-Demolition Survey was performed to enable compliant disposition and waste management of the Building 774 1973 Addition. Because this Type 3 building will be demolished, the characterization was performed in accordance with the Pre-Demolition Survey Plan (MAN-127-PDSP). The results of this survey shall demonstrate that the Building 774 1973 Addition meets the unrestricted release limits specified in the site Pre-Demolition Survey Plan. Building surfaces characterized as part of this PDS include interiors of Rooms 241, 341, 342, 344, 441, 442, and the south stairwell from Room 241 to 441.

As part of the Rocky Flats Environmental Technology Site (RFETS) Closure Project, numerous facilities will be removed. Among these is Building 774. This facility no longer supports the RFETS mission and will be removed to reduce Site infrastructure, risks and/or operating costs.

Before this Type 3 facility can be demolished, the Data Quality Objectives (DQOs) for a Pre-Demolition Survey (PDS) must be satisfied; this document presents the PDS results for the Building 774. The PDS was conducted pursuant to the Decontamination and Decommissioning Characterization Protocol (MAN-077-DDCP) and the Pre-Demolition Survey Plan for D&D Facilities (MAN-127-PDSP). The PDS is built upon physical, chemical and radiological hazards identified in the facility-specific *B771 and B774 Hazards Characterization Report for the 771 Closure Project*, dated June 12, 2001, Revision 0.

1.1 PURPOSE

The purpose of this report is to communicate and document the results of the Building 774 PDS effort. A PDS is performed prior to building demolition to define the pre-demolition radiological and chemical conditions of a facility. The pre-demolition conditions are compared with the release limits for radiological and non-radiological contaminants. PDS results will enable project personnel to make final disposition decisions, develop related worker health and safety controls, and estimate waste volumes by waste types.

1.2 SCOPE

This report presents the pre-demolition radiological and chemical conditions of the Building 774 1973 Addition surfaces that are located six feet above final grade and will be free-released and disposed of as sanitary waste or used as backfill per the requirements of the *RFETS, RFCA RSOP for Recycling Concrete*. The original Building 774 structure (including Rooms 202, 203, and 210), the Annex walls/roof, and a 380 ft² section of the east exterior wall of Room 241 will be packaged and disposed of as radioactive waste. Rooms 102 and 103 of Building 774, which are located six feet below the final proposed grade level, will remain *in-situ* and have been filled with a concrete aggregate. A PDS will not be performed for any of these areas.

The floors and lower walls of Room 241 which are six feet below final grade based on a gradient line between 3.5 feet above floor level on the north wall, and 11 feet above floor

level on the south wall, will remain *in-situ* and are not included in the scope of this PDSP.

The plenums in Room 341 and 441 will be removed prior to demolition and disposed of as radioactive waste. Since these plenums were installed during building construction, and these areas were not radiological areas, the removal of the plenums will not change the radiological conditions of the rooms.

All areas that will be packaged and disposed of as radioactive waste will be protected with fixative and verified to have removable levels less than 20 dpm per 100 cm² gross alpha activity. Contamination control measures to be used during demolition include water and fixative for dust suppression. In addition, demolition activities will be ceased when wind speeds exceed 15 mph. Close-in air sampling shall be used to ensure the safety of the worker and the public.

1.3 DATA QUALITY OBJECTIVES

The Data Quality Objectives (DQOs) used in designing this PDS were the same DQOs identified in the Section 2.0 of the Pre-Demolition Survey Plan for D&D Facilities (MAN-127-PDSP). Refer to section 2.0 of MAN-127-PDSP for these DQOs.

1.3.1 The Problem

The problem involves determining whether or not the survey unit is suitable for unrestricted release in accordance with this plan.

1.3.2 The Decision

The decision is verification that objectives specified in the decommissioning decision document have been met (e.g., certain materials meet unrestricted release criteria for radiological and non-radiological constituents).

1.3.3 Inputs to the Decision

Inputs to the decision include the magnitude and location of data from preceding characterizations, including RLC and In-Process Characterization (IPC), PDS results, decision document action levels, and unrestricted release criteria.

1.3.4 Decision Boundaries

The decision boundaries are the spatial confines of the facility, including rooms and sets of rooms, in two and three dimensions. Interior and exterior surfaces are included, including those below grade. Boundaries may be further defined in RFCA decision documents.

1.3.5 Decision Rules

The following are decision rules to be used during PDS:

1.3.5.1 Radionuclides

If all radiological survey and scan measurements (and sample measurements, where sample activity is translated to surface activity as described in Kaiser-Hill letter to DOE, RFFO, Application of Surface Contamination Guidelines from Department of Energy Order 5400.5, WAH-064-98, March IO, 1998) are below the surface contamination guidelines provided in DOE Order 5400.5 (Radiation Protection of the Public and Environment; see Table 7-1), the related areas and/or volume are considered not radiologically contaminated. The media sample result is calculated by converting volumetric activity (typically reported in pCi/g) to surface activity (dpm/100 cm²). The volumetric result (pCi/g) is multiplied by the weight of the sample (grams) and by 2.22 (conversion from pCi to dpm).

If any radiological survey or scan measurement exceeds the surface contamination guidelines provided in DOE Order 5400.5, the related survey unit must be evaluated per the statistical tests described in section 7.0, Data Analysis and Quality Assessment, of this plan. If any radiological sample measurement (or disposal unit volume) exceeds 100 nanocuries per gram of transuranic material, the related volume of material is considered transuranic (TRU) waste.

1.3.5.2 Hazardous Waste

If decommissioning waste is mixed with or contains a listed hazardous waste, or if the waste exhibits a characteristic of a hazardous waste, then the waste is considered RCRA-regulated hazardous waste in accordance with 6 CCR 1007-3, Parts 261 and 268.

1.3.5.3 Hazardous Substances

If material contains a listed hazardous substance above a decision document action level (e.g., RFCA) and/or the CERCLA reportable quantity (40 CFR 302.4), the material is subject to CERCLA regulation (Le., redemption and/or notification requirements).

1.3.5.4 Beryllium

If surface concentrations of beryllium are equal to or greater than 0.2 µg/100 cm², the material is considered beryllium contaminated per 10 CFR 850.

1.3.5.5 PCBs

If material contains PCBs, in a non-liquid state, from the manufacturing process at concentrations 250 ppm, the material is considered PCB Bulk Product Waste and subject to the requirements of 40 CFR 761. If PCB contamination from a past spill/release is suspected, or if a PCB spill is discovered that has not been cleaned up, the associated material is considered PCB Remediation Waste and subject to the requirements of 40 CFR 761. PCB remediation waste includes: materials disposed of prior to April 18, 1978, that are currently at concentrations 250 ppm PCBs, regardless of the concentration of the original spill; materials which are currently at any volume or concentration where the original source was 2500 ppm PCBs beginning on April 18, 1978, or 250 ppm PCBs beginning on July 2, 1979; and materials which are currently at any concentration if the

PCBs are spilled or released from a source not authorized for use under 40 CFR 761. If a waste or item contains PCBs in regulated concentrations, the waste or item is classified as PCB-regulated material and subject to the requirements of 40 CFR 761.

1.3.5.6 Asbestos

If any one sample of a sample set representing a homogeneous medium results in a positive detection (i.e., >1% by volume), then material is considered ACM (40 CFR 763 and 5 CCR 1001-10).

1.3.6 Tolerable Limits on Decision Error

Acceptable false negative (*a*) errors for calculating the number of samples generally range from 1% to 10%. The default value specified by the Site PDSP is 5%, which was assumed for the survey design in this report.

1.3.7 Optimization of Plan Design

Statistically based radiological surveying and sampling will be conducted per the guidance in Appendix B of the RFETS Pre-Demolition Survey Plan for D&D Facilities (MAN-127-PDSP). Refer to Section 4.0 of the PDSP for direction of characterization of non-radiological, chemical constituents. For this report, the minimum number of measurement locations is fifteen per survey unit, as calculated based on the guidance in the MARSSIM. The DCGL_w is 100 dpm/100 cm² for TSA and media measurements/samples, 20 dpm/100 cm² for RSA measurements. The LBGR was adjusted to obtain a relative shift of two. The estimated standard deviation for each measurement type was calculated based on an assumed coefficient of variation of 30%.

2 HISTORICAL SITE ASSESSMENT

A facility-specific Hazards Characterization Report was conducted to understand the facility history and related hazards. The Building 771 Hazards Characterization was performed in June 2001 (Refer *B771 and B774 Hazards Characterization Report for the 771 Closure Project*, dated June 12, 2001, Revision 0). Based on the characterization results, radiological contamination was identified in Building 774, and Building 774 was identified as a Type 3 facility. Therefore, a PDS was required before demolition of the facility.

The area included in the scope of this PDSR is referred to herein as the Building 774 1973 Addition. This addition, constructed in 1973, is 54' wide 64' long X 54' high, and located south of the original building. This addition is three stories high with the bottom floor elevation the same as the floor of the second floor of the original building. The concrete tanks that were south of the building were removed as waste and the entrance to the valve vault for these tanks became the entrance to the new addition.

The first and second floors of the 1973 Addition Building, Room 241, housed four reagent tanks and four batching tanks for precipitation. Radioactive contamination was present in these tanks. The third floor (Rooms 341) housed a ventilation filter plenum

that supported Building 774 glovebox operations. Radioactive contamination did exist in this plenum, though there is no record of any contamination events in Room 341 proper. The fourth floor (Room 441) housed a room air exhaust and recirculation plenum. Low levels of radioactive contamination was present in the plenum, though there is no record of any contamination event in Room 441 proper.

Rooms 341, 342, and 441 are classified as Class 2 survey units (771056, 771058, 771057, respectively) based on their contamination potential, per Section 3.0 of the PDSP. The entrance vestibules to rooms 341 and 441 (rooms 344 and 442) are included in these survey units.

Room 241 and the south stairwell (survey units 771054 and 771048, respectively) are classified as Class 1 based on their contamination potential, per Section 3.0 of the PDSP.

The original Building 774 structure (including Rooms 202, 203, and 210), the Annex walls/roof, and a 380 ft² section of the east exterior wall of Room 241 will be packaged and disposed of as radioactive waste. Rooms 102 and 103 of Building 774, which are located six feet below the final proposed grade level, will remain *in-situ* and have been filled with a concrete aggregate. A PDS will not be performed for any of these areas.

This report documents the results of that PDS. The hazards characterization results and historical review (refer to Attachment H) were used to identify PDS data gaps and needs, and to develop radiological and chemical PDS characterization packages.

Characterization documentation is located in the Building 771 Characterization Project files.

3 RADIOLOGICAL CHARACTERIZATION AND HAZARDS

The Building 774 1973 Addition was characterized for radiological hazards per the PDSP. Radiological characterization was performed to define the nature and extent of radioactive materials that may be present on the facility surfaces. Measurements were performed to evaluate the contaminants of concern (weapons-grade plutonium isotopes). Based upon a review of the characterization data, historical and process knowledge, in-process survey data, building walk-downs, and the Site Pre-Demolition Survey Plan (MAN-127-PDSP), a Radiological Characterization Plan was developed during the planning phase that describes the minimum survey requirements (refer to survey packages 771048, 771054, 771056, 771057, and 771058). A Survey Unit Overview Map is presented in Attachment A. Based on hazard characterization data and historical and process knowledge, transuranic isotopes are the primary contaminants of concern in Buildings 771/774. Therefore, the PDS was performed to the transuranic PDS unrestricted release criteria. Individual radiological survey unit packages are maintained in the Building 771 Characterization Project files.

The Building 774 1973 Addition survey unit packages was developed in accordance with Radiological Safety Practices (RSP) 16.01, *Radiological Survey/Sampling Package Design, Preparation, Control, Implementation and Closure*. Total surface activity (TSA), removable surface activity (RSA), and media samples were collected in accordance with RSP 16.02 *Radiological Surveys of Surfaces and Structures*. Radiological survey data were verified, validated and evaluated in accordance with RSP 16.04, *Radiological Survey/Sample Data Analysis*. Quality control measures were

implemented relative to the survey process in accordance with RSP 16.05, *Radiological Survey/Sample Quality Control*.

Per the reference procedures, the required number of measurement locations is fifteen (15) per 100 square-meters of floor area for Class 1 survey units, and fifteen (15) per 1000 square meters of floor area for Class 2 survey units. Scans were required on 100% of surfaces for Class 1 survey units, and 100% of floors/lower walls and 10% of upper walls/ceiling for Class 2 survey units.

Radiological survey data, statistical analysis results, survey locations, and radiological scan maps are presented in Attachments B, C, D, E, and F, *Radiological Data Summary and Survey Maps*.

Building 774 South Stairwell – (Survey Unit 771048)

The South Stairwell of Building 774 was classified as a Class 1 survey unit. The classification was based on the process history of the area (proximity of the stairwell to Room 241, an existing Class 1 survey unit). A total of 15 random TSA and RSA measurements, and 15 media samples were collected. Surface scans of 128m² (100% of total surface area) were performed.

All scans, surveys, and media sample results in survey unit 771048 were less than the applicable PDS transuranic DCGL values. Radiological survey data, statistical analysis results, survey locations, and radiological scan maps for survey unit 771048 are presented in Attachment B, *Survey Unit 771048 Radiological Data Summary and Survey Map*.

Building 774 Room 241 – (Survey Unit 771054)

Room 241 is classified as a Class 1 survey unit. The classification was based on the process history of the area, and the identification of alpha activity in excess of the DCGL_w during characterization surveys/media sampling. Media sampling performed during the characterization phase identified elevated activity in surface media (paint) on the floors only (refer to the *B771 and B774 Hazards Characterization Report for the 771 Closure Project*). Because the floors are not included in the scope of this PDSR, paint removal was not required on the remaining surfaces.

Per the Building 771 Decommissioning Operations Plan (DOP), the floors and lower walls of Room 241 that will remain six feet below final grade (based on a gradient line between 3.5 feet above floor level on the north wall and 11 feet above floor level on the south wall) will remain *in-situ* and are not included in the scope of this PDSP. In addition, a 380 ft² section of the east exterior wall of Room 241 will be packaged and disposed of as radioactive waste (refer to Contact Record dated March 25, 2004).

A total of 42 random TSA and RSA measurements were collected, based on a floor surface area of 278 m². Surface scans of 1112 m² of the room surfaces (100% of total area) were also performed.

All paint has been removed from required areas (i.e., areas above the six feet below final grade line), with the exception of the ceiling, which is an original coating. Samples collected during RLC collaborate that the 241 ceiling is coated with original paint, given that no activity in excess of the applicable DCGLs was detected.

Four (4) conduit penetrations in the north wall of Room 241 were found to have elevated removable activity ranging from 21 to 54 dpm/100 cm². Fixative was applied to the interior surfaces and the penetrations will be removed and disposed of as radioactive waste.

All scans, surveys, and media sample results in survey unit 771054 were less than the applicable PDS transuranic DCGL values. Radiological survey data, statistical analysis results, survey locations, and radiological scan maps for survey unit 771054 are presented in Attachment C, *Survey Unit 771054 Radiological Data Summary and Survey Map*.

Building 774 Room 341 – (Survey Unit 771056)

Room 341 is classified as a Class 2 survey unit. The classification was based on the low potential for contamination based on process history and characterization results (all results less than the DCGL_w of 100 dpm per 100 cm² – refer to the *B771 and B774 Hazards Characterization Report for the 771 Closure Project*). Surface scans of 407 m² (39% of total area) were also performed. A total of 15 random TSA and RSA measurements, and 15 media samples were collected.

All scans, surveys, and media sample results in survey unit 771056 were less than the applicable PDS transuranic DCGL values. Radiological survey data, statistical analysis results, survey locations, and radiological scan maps for survey unit 771056 are presented in Attachment D, *Survey Unit 771056 Radiological Data Summary and Survey Map*.

Building 774 Room 441 – (Survey Unit 771057)

The interior of room 441 is classified as a Class 2 survey unit. The classification was based on the low potential for contamination based on process history and characterization results (all results less than the DCGL_w of 100 dpm per 100 cm² – refer to the *B771 and B774 Hazards Characterization Report for the 771 Closure Project*). Media sampling performed during the characterization phase identified elevated activity in surface media (paint) on the floors only (refer to the *B771 and B774 Hazards Characterization Report for the 771 Closure Project*).

A total of 15 random TSA and RSA measurements, and 17 media samples were collected. Surface scans of 387m² (33% of total area) were also performed. Seventeen (17) media samples were collected because the number of required locations was based on the total surface area of the room during RLC. Per the requirements of the PDSP, only fifteen (15) TSA/RSA locations were actually required (based on the floor surface area of the room).

All scans, surveys, and media sample results in survey unit 771057 were less than the applicable PDS transuranic DCGL values. Radiological survey data, statistical analysis results, survey locations, and radiological scan maps for survey unit 771057 are presented in Attachment E, *Survey Unit 771057 Radiological Data Summary and Survey Map*.

Building 774 Room 342 – (Survey Unit 771058)

Room 342 was classified as a Class 2 survey unit. The classification was based on the low potential for contamination based on process history and characterization results (refer to the *B771 and B774 Hazards Characterization Report for the 771 Closure Project*). Media sampling performed during the characterization phase identified two spots of elevated activity in surface media (paint) on the floor at 156 dpm/100 cm² and 546 dpm/100 cm² (refer to the *B771 and B774 Hazards Characterization Report for the 771 Closure Project*). All other media sample locations, as well as TSA/RSA data, was less than the DCGL_w of 100 dpm per 100 cm². Contamination on the floors is expected based on the process history of the room, which housed the upper portions of four tanks anchored onto the floor of Room 241. Therefore, paint removal was required on the floors in this room. A total of 15 random TSA and RSA measurements, and 15 media samples were collected. Surface scans of 108 m² (44% of the total surface area) were also performed.

All scans, surveys, and media sample results in survey unit 771058 were less than the applicable PDS transuranic DCGL values. Radiological survey data, statistical analysis results, survey locations, and radiological scan maps for survey unit 771058 are presented in Attachment F, *Survey Unit 771058 Radiological Data Summary and Survey Map*.

4 CHEMICAL CHARACTERIZATION AND HAZARDS

Based on a thorough review of historical and process knowledge, visual inspections, and personnel interviews, no additional chemical hazard sampling requirements were identified.

4.1 Asbestos

Asbestos containing building material is not present in building 774.

4.2 Beryllium (Be)

Room 241 was posted/controlled as a Beryllium Regulated Area (BRA) during plasma-arc size reduction of the tanks. Therefore, per the Beryllium Sampling Decision Tree in the PDSP, twenty-one (21) random beryllium smear samples were collected from this room, in accordance with the PDSP and the *Beryllium Characterization Procedure*, PRO-536-BCPR, Revision 0, September 9, 1999.

Rooms 341 and 441 of Building 774 are not and have never been a beryllium-controlled area. However, current beryllium data is not available for these areas. Therefore, per the Beryllium Sampling Decision Tree in the PDSP, six (6) biased beryllium smear samples were collected from each room, in accordance with the PDSP and the *Beryllium Characterization Procedure*, PRO-536-BCPR, Revision 0, September 9, 1999.

All beryllium smear sample results were less than the investigative limit of 0.1 µg/100cm². PDS beryllium laboratory sample data and location maps are contained in Attachment I, *Chemical Data Summaries and Sample Maps*.

4.3 RCRA/CERCLA Constituents [including metals and volatile organic compounds (VOCs)]

Based upon the *B771 and B774 Hazards Characterization Report, 771 Closure Project*, Revision 0, dated June 12, 2001, personnel interviews, facility walk-downs, and historical process knowledge (WSRIC/WEMS), Rooms 241, 341, and 441 of Building 774 did not contain hazardous waste storage units. A visual inspection of the building by 771/774 Industrial Hygiene personnel verified the absence of hazardous waste residuals and/or stains on the floor/concrete slab, walls, or ceiling. As a result of these observances, it has been determined that no sampling for RCRA/CERCLA constituents is required. The concrete generated from the demolition of the areas included in the scope of this report can be used for onsite recycling in accordance with the Concrete Recycling RSOP.

4.4 Polychlorinated Biphenyls (PCBs)

Based on historical knowledge, personnel interviews, and 771/774 Environmental Compliance Personnel walk-downs, the Rooms 241, 341, and 441 of Building 774 never used/transferred free flowing/exposed PCB's. At one time the facility may have used PCB ballasts in its fluorescent light fixtures, however, all of these have been removed, and compliantly disposed of, resulting in no impact on demolition activities in this area.

Per the *B771 and B774 Hazards Characterization Report for the 771 Closure Project*, PCBs are present in some applied paints (i.e., on several walls and floors within the B771 and B774 Contamination Areas, and within the 771/776 Tunnel). Because additional paint sampling was not performed in Rooms 241, 341, and 441, and because painted surfaces remain in the area, any painted debris generated during demolition that is not recycled on-site will be disposed of as a PCB Bulk Product waste.

5 PHYSICAL HAZARDS

Physical hazards associated with Building 774 are common to standard industrial environments, and include hazards associated with utilities. There are no other unique hazards associated with the facility. The facility has been relatively well maintained and is in good physical condition, therefore, does not present hazards associated with building deterioration.

Physical hazards are controlled by the Site Occupational Safety and Industrial Hygiene Program, which is based on OSHA regulations, DOE orders, and standard industry practices.

6 DATA QUALITY ASSESSMENT

Data used in making management decisions for decommissioning of Building 774 1973 Addition, and consequent waste management, is of adequate quality to support the decisions documented in this report. The data presented in this report (Attachments B, C, D, E and F) were verified and validated relative to DOE quality requirements, applicable EPA guidance, and original project DQOs.

In summary, the Verification and Validation (V&V) process corroborates that the following elements of the characterization process are adequate:

- ◆ the *number* of samples and surveys;
- ◆ the *types* of samples and surveys;
- ◆ the sampling/survey process as implemented “in the field”; and
- ◆ the laboratory analytical process, relative to accuracy and precision considerations.

Details of the DQA are presented in Attachment G. The DQA Checklists are provided in the individual survey unit packages (located in the Building 771 Characterization Files).

The Minimum Detectable Activity (MDA) for each PDS instrument was determined *a priori* based on typical parameters (background, efficiency, and count time). A list of radiological field instrumentation and associated sensitivities is presented in Table 1.

Table 1
PDS Radiological Field Instrumentation and Minimum Detectable Activities

Model	Measurement Type	MDA (dpm/100 cm ²)
NE Electra DP6	TSA	48
Eberline SAC-4	Removable (Smears)	10
NE Electra AP6	Scans	300

7 DECOMMISSIONING WASTE TYPES

The demolition and disposal of Building 774 will generate a variety of wastes. Concrete can be used as backfill onsite in accordance with the RFCA RSOP for Recycling Concrete.

8 FACILITY CLASSIFICATION AND CONCLUSIONS

Based on the analysis of radiological, chemical and physical hazards, the Building 774 1973 Addition is classified as an RFCA Type 3 facility pursuant to the RFETS Decommissioning Program Plan (DPP; K-H, 1999). Based upon the results of this PDSR, the 774 1973 Addition meets the unrestricted release limits specified in the site Pre-Demolition Survey Plan and is ready for demolition. The PDS for the Building 774 1973 Addition was performed in accordance with the DDCP and PDSP, all PDSP DQOs were met, and all data satisfied the PDSP DQA criteria.

A facility walkdown and historical review indicates that no RCRA/CERCLA constituents exist in the B774 Area (refer to Attachment H, Historical Review). Any painted debris generated during demolition that is not recycled on-site will be disposed of a PCB Bulk Product waste.

Radiological contamination in excess of the PDSP Table 7-1 limits was not detected in the Building 774 1973 Addition.

Based upon this PDSR, the described sections of Building 774 can be demolished and the waste managed as sanitary, and the concrete can be used for backfill on-site per the

RFCA RSOP for Recycling Concrete. To ensure that the facility remains free of contamination and that PDS data remain valid, Level 2 isolation controls have been established.

9 REFERENCES

B771 and B774 Hazards Characterization Report for the 771 Closure Project, dated June 12, 2001, Revision 0.

DOE/RFPO, CDPHE, EPA, 1996. *Rocky Flats Cleanup Agreement (RFCA)*, July 19, 1996.

DOE Order 5400.5, *Radiation Protection of the Public and the Environment*

DOE Order 414.1A, *Quality Assurance*

EPA, 1994. *The Data Quality Objective Process*, EPA QA/G-4.

K-H, 1999. *Decommissioning Program Plan*, June 21, 1999.

MAN-131-QAPM, *Kaiser-Hill Team Quality Assurance Program*, Rev. 1, November 1, 2001.

MAN-076-FDPM, *Facility Disposition Program Manual*, Rev. 3, January 1, 2002.

MAN-077-DDCP, *Decontamination and Decommissioning Characterization Protocol*, Rev. 4, July 15, 2002.

MAN-127-PDSP, *Pre-Demolition Survey Plan for D&D Facilities*, Rev. 1, July 15, 2002.

MARSSIM - *Multi-Agency Radiation Survey and Site Investigation Manual* (NUREG-1575, EPA 402-R-97-016).

PRO-475-RSP-16.01, *Radiological Survey/Sampling Package Design, Preparation, Control, Implementation, and Closure*, Rev. 1, May 22, 2001.

PRO-476-RSP-16.02, *Pre-Demolition (Final Status) Radiological Surveys of Surfaces and Structures*, Rev. 2, March 10, 2003.

PRO-477-RSP-16.03, *Radiological Samples of Building Media*, Rev. 1, May 22, 2001.

PRO-478-RSP-16.04, *Radiological Survey/Sample Data Analysis for Final Status Survey*, Rev. 1, May 22, 2001.

PRO-479-RSP-16.05, *Radiological Survey/Sample Quality Control for Final Status Survey*, Rev. 1, May 22, 2001.

PRO-563-ACPR, *Asbestos Characterization Procedure*, Revision 0, August 24, 1999.

PRO-536-BCPR, *Beryllium Characterization Procedure*, Revision 0, August 24, 1999.

RFETS, *Environmental Waste Compliance Guidance #25, Management of Polychlorinated Biphenyls (PCBs) in Paint and Other Bulk Product Waste During Facility Disposition*.



RFETS, *Environmental Waste Compliance Guidance #27, Lead-Based Paint (LBP) and Lead-Based Paint Debris Disposal*.

RFETS, *RFCA RSOP for Recycling Concrete*, September 28, 1999


ATTACHMENT A

Survey Unit Overview Map

SECOND FLOOR



FOURTH FLOOR



THIRD FLOOR

ATTACHMENT B

Survey Unit 771048
Radiological Data Summary and Survey Map

Survey Area: AM**Survey Unit:** 771048**Building:** 774**Description:** Rooms 343 and Room 443 (Stairwell)

Rocky Flats Environmental Technology Site Final Radiological Survey Summary Results

Total Surface Activity Measurements

Number Required: 15

Number Performed: 15

Number QC Performed: 2

Alpha - Random

Maximum: 41.0 dpm/100cm²Minimum: 1.4 dpm/100cm²Mean: 22.1 dpm/100cm²

Standard Deviation: 11.0

Transuranic DCGLw: 100.0 dpm/100cm²Transuranic DCGLemc: 300.0 dpm/100cm²

* Biased TSA and QC measurements not included in above statistics.

Removable Surface Activity Measurements

Number Required: 15

Number Performed: 15

Alpha - Random

Maximum: 6.1 dpm/100cm²Minimum: -0.9 dpm/100cm²Mean: 1.6 dpm/100cm²

Standard Deviation: 2.1

Transuranic DCGLw: 20.0 dpm/100cm²

* Biased RSA measurements not included in above statistics.

Media Sample Results

Number Required: 15

Number Collected: 15

Uranium

Maximum: NA dpm/100cm²Minimum: NA dpm/100cm²Mean: NA dpm/100cm²

Standard Deviation: NA

Uranium DCGLw: 5,000 dpm/100cm²Uranium DCGLemc: 15,000 dpm/100cm²

Transuranic

Maximum: 75 dpm/100cm²Minimum: 0 dpm/100cm²Mean: 7 dpm/100cm²

Standard Deviation: 19

Transuranic DCGLw: 100 dpm/100cm²Transuranic DCGLemc: 300 dpm/100cm²

Survey Area: AM**Survey Unit:** 771048**Building:** 774**Description:** Rooms 343 and Room 443 (Stairwell)

Instrument Data Sheet

Inst/RCT Number	RCT ID	Analysis Date	Instr Model	Instru S/N	Probe Type	Calibration Due Dt	Instru Efficiency		A-Priori MDA (dpm/100cm ²)	
							Alpha	Beta	Alpha	Beta
1	516572	03/27/04	Electra	1367	DP-6	06/17/04	0.220	NA	48.00	NA
2	702381	03/27/04	Electra	391	DP-6	08/20/04	0.221	NA	48.00	NA
3	516572	03/28/04	SAC-4	1185	NA	08/09/04	0.330	NA	10.00	NA
4	516572	03/28/04	SAC-4	1053	NA	07/22/04	0.330	NA	10.00	NA
5	516572	03/28/04	SAC-4	820	NA	08/18/04	0.330	NA	10.00	NA
6	516572	03/28/04	SAC-4	815	NA	08/09/04	0.330	NA	10.00	NA

Survey Area: AM**Survey Unit:** 771048**Building:** 774**Description:** Rooms 343 and Room 443 (Stairwell)

Removable Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771048PRP-N001	3	-0.3	N/A	
771048PRP-N002	3	1.2	N/A	
771048PRP-N003	4	0.6	N/A	
771048PRP-N004	6	-0.0	N/A	
771048PRP-N005	5	1.5	N/A	
771048PRP-N006	4	2.1	N/A	
771048PRP-N007	5	-0.0	N/A	
771048PRP-N008	5	-0.0	N/A	
771048PRP-N009	6	-0.0	N/A	
771048PRP-N010	5	4.5	N/A	
771048PRP-N011	4	0.6	N/A	
771048PRP-N012	4	-0.9	N/A	
771048PRP-N013	5	6.1	N/A	
771048PRP-N014	4	3.6	N/A	
771048PRP-N015	3	4.2	N/A	

Comments:

Survey Area: AM**Survey Unit:** 771048**Building:** 774**Description:** Rooms 343 and Room 443 (Stairwell)

Total Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771048QRP-N001	1	19.8	N/A	
771048PRP-N001	2	19.5	N/A	
771048PRP-N002	1	28.7	N/A	
771048QRP-N002	2	-13.4	N/A	
771048PRP-N003	1	22.8	N/A	
771048PRP-N004	1	26.0	N/A	
771048PRP-N005	2	37.6	N/A	
771048PRP-N006	2	1.4	N/A	
771048PRP-N007	1	19.6	N/A	
771048PRP-N008	2	7.7	N/A	
771048PRP-N009	2	22.6	N/A	
771048PRP-N010	2	10.4	N/A	
771048PRP-N011	2	25.8	N/A	
771048PRP-N012	1	41.0	N/A	
771048PRP-N013	1	31.9	N/A	
771048PRP-N014	2	25.8	N/A	
771048PRP-N015	2	10.4	N/A	

Comments:

Survey Area: AM

Survey Unit: 771048

Building: 774

Description: Rooms 343 and Room 443 (Stairwell)

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
03Z2110-001.001 1 Stairwell	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.1280 0.0706	NA NA NA 0.1760 0.1050	5.93	26.3	NA NA NA 1 1	NA NA NA 1 1	Uranium NA Transuranic 2
03Z2110-002.001 2 Stairwell	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.1120 0.0656	NA NA NA 0.1980 0.1350	24.72	26.3	NA NA NA 4 2	NA NA NA 6 4	Uranium NA Transuranic 6
03Z2110-003.001 3 Stairwell	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0000 0.0437	NA NA NA 0.1890 0.0805	29.04	26.3	NA NA NA 0 2	NA NA NA 7 3	Uranium NA Transuranic 2
03Z2110-004.001 4 Stairwell	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0000 0.0499	NA NA NA 0.2580 0.0214	27.89	26.3	NA NA NA 0 2	NA NA NA 9 1	Uranium NA Transuranic 2
03Z2110-005.001 5 Stairwell	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.7470 2.3400	NA NA NA 0.1900 0.0847	18.53	26.3	NA NA NA 18 57	NA NA NA 5 2	Uranium NA Transuranic 75
03Z2110-006.001 6 Stairwell	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0578 0.0384	NA NA NA 0.2140 0.1180	21.68	26.3	NA NA NA 2 1	NA NA NA 6 3	Uranium NA Transuranic 3
03Z2110-007.001 7 Stairwell	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0000 0.0147	NA NA NA 0.2170 0.0470	18.88	26.3	NA NA NA 0 0	NA NA NA 5 1	Uranium NA Transuranic 0

Comments:

Survey Area: AM

Survey Unit: 771048

Building: 774

Description: Rooms 343 and Room 443 (Stairwell)

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
03Z2110-008.001 8 Stairwell	U234	NA	NA	10.18	26.3	NA	NA	Uranium NA Transuranic 5
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1990	0.2600			3	4	
	Am241	0.1660	0.0723			2	1	
03Z2110-009.001 9 Stairwell	U234	NA	NA	9.38	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0424	0.1730			1	2	
	Am241	0.1160	0.0267			1	0	
03Z2110-010.001 10 Stairwell	U234	NA	NA	5.06	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0612	0.1860			0	1	
	Am241	0.3050	0.0712			2	1	
03Z2110-011.001 11 Stairwell	U234	NA	NA	1.09	26.3	NA	NA	Uranium NA Transuranic 1
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0877	0.2630			0	0	
	Am241	0.9330	0.0610			1	0	
03Z2110-012.001 12 Stairwell	U234	NA	NA	1.20	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.4010	0.2000			1	0	
	Am241	0.8920	0.0756			1	0	
03Z2110-013.001 13 Stairwell	U234	NA	NA	1.04	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.3920	0.1480			1	0	
	Am241	1.3400	0.0746			2	0	
03Z2110-014.001 14 Stairwell	U234	NA	NA	28.50	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0168	0.2010			1	8	
	Am241	0.0247	0.0787			1	3	

Survey Area: AM**Survey Unit:** 771048**Building:** 774**Description:** Rooms 343 and Room 443 (Stairwell)

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
03Z2110-015.001 15 Stairwell	U234	NA	NA	15.78	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0205	0.1420			0	3	
	Am241	0.0827	0.0226			2	1	

RADIOLOGICAL CLOSEOUT SURVEY FOR THE 771 CLUSTER

Survey Area: AM

Survey Unit: 771048

Classification: 1

Building: 774






Survey Unit Description: Room 343, 443

Total Floor Area: 19 sq. m

Total Area: 128 sq. m

Grid Size: 2m x 2m

SURVEY UNIT 771048 - MAP 1 OF 1



ATTACHMENT C

Survey Unit 771054
Radiological Data Summary and Survey Map

Survey Area: AM**Survey Unit:** 771054**Building:** 774**Description:** Room 241 upper walls and ceiling (areas greater than 6 foot above final grade)

Rocky Flats Environmental Technology Site Final Radiological Survey Summary Results

Total Surface Activity Measurements

Number Required: 42

Number Performed: 42

Number QC Performed: 2

Alpha - Random

Maximum: 97.8 dpm/100cm²Minimum: -7.6 dpm/100cm²Mean: 20.1 dpm/100cm²

Standard Deviation: 22.2

Transuranic DCGLw: 100.0 dpm/100cm²Transuranic DCGLemc: 300.0 dpm/100cm²

* Biased TSA and QC measurements not included in above statistics.

Removable Surface Activity Measurements

Number Required: 42

Number Performed: 42

Alpha - Random

Maximum: 5.2 dpm/100cm²Minimum: -1.5 dpm/100cm²Mean: 0.5 dpm/100cm²

Standard Deviation: 1.7

Transuranic DCGLw: 20.0 dpm/100cm²

* Biased RSA measurements not included in above statistics.

Media Sample Results

Number Required: 0

Number Collected: 0

Uranium

Maximum: NA dpm/100cm²Minimum: NA dpm/100cm²Mean: NA dpm/100cm²

Standard Deviation: NA

Uranium DCGLw: 5,000 dpm/100cm²Uranium DCGLemc: 15,000 dpm/100cm²

Transuranic

Maximum: NA dpm/100cm²Minimum: NA dpm/100cm²Mean: NA dpm/100cm²

Standard Deviation: NA

Transuranic DCGLw: 100 dpm/100cm²Transuranic DCGLemc: 300 dpm/100cm²

Survey Area: AM**Survey Unit:** 771054**Building:** 774**Description:** Room 241 upper walls and ceiling (areas greater than 6 foot above final grade)

Instrument Data Sheet

Inst/RCT Number	RCT ID	Analysis Date	Instr Model	Instru S/N	Probe Type	Calibration Due Dt	Instru Efficiency		A-Priori MDA (dpm/100cm ²)	
							Alpha	Beta	Alpha	Beta
1	600586	03/28/04	Electra	392	DP-6	09/09/04	0.221	NA	48.00	NA
2	711798	03/28/04	Electra	2385	DP-6	06/03/04	0.219	NA	48.00	NA
3	600586	03/28/04	SAC-4	1185	NA	08/09/04	0.330	NA	10.00	NA
4	600586	03/28/04	SAC-4	1053	NA	07/22/04	0.330	NA	10.00	NA
5	600586	03/28/04	SAC-4	820	NA	08/18/04	0.330	NA	10.00	NA
6	600586	03/28/04	SAC-4	815	NA	08/09/04	0.330	NA	10.00	NA

Survey Area: AM**Survey Unit:** 771054**Building:** 774**Description:** Room 241 upper walls and ceiling (areas greater than 6 foot above final grade)

Removable Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771054PRP-N001	4	-0.9	N/A	
771054PRP-N002	6	1.8	N/A	
771054PRP-N003	3	-0.3	N/A	
771054PRP-N004	5	-0.0	N/A	
771054PRP-N005	5	-1.5	N/A	
771054PRP-N006	5	-1.5	N/A	
771054PRP-N007	3	4.2	N/A	
771054PRP-N008	3	2.7	N/A	
771054PRP-N009	6	1.8	N/A	
771054PRP-N010	4	2.1	N/A	
771054PRP-N011	5	-0.0	N/A	
771054PRP-N012	3	4.2	N/A	
771054PRP-N013	5	1.5	N/A	
771054PRP-N014	6	-1.2	N/A	
771054PRP-N015	5	3.0	N/A	
771054PRP-N016	4	-0.9	N/A	
771054PRP-N017	6	0.3	N/A	
771054PRP-N018	6	-1.2	N/A	
771054PRP-N019	5	-1.5	N/A	
771054PRP-N020	5	3.0	N/A	
771054PRP-N021	4	0.6	N/A	
771054PRP-N022	3	-0.3	N/A	
771054PRP-N023	3	-0.3	N/A	
771054PRP-N024	6	0.3	N/A	
771054PRP-N025	6	0.3	N/A	
771054PRP-N026	4	0.6	N/A	
771054PRP-N027	5	-0.0	N/A	
771054PRP-N028	3	-0.3	N/A	
771054PRP-N029	4	-0.9	N/A	
771054PRP-N030	4	-0.9	N/A	

Survey Area: AM**Survey Unit:** 771054**Building:** 774**Description:** Room 241 upper walls and ceiling (areas greater than 6 foot above final grade)

Removable Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771054PRP-N031	6	-1.2	N/A	
771054PRP-N032	3	-0.3	N/A	
771054PRP-N033	4	0.6	N/A	
771054PRP-N034	5	-1.5	N/A	
771054PRP-N035	3	-0.3	N/A	
771054PRP-N036	6	1.8	N/A	
771054PRP-N037	5	-1.5	N/A	
771054PRP-N038	5	-0.0	N/A	
771054PRP-N039	3	1.2	N/A	
771054PRP-N040	4	5.2	N/A	
771054PRP-N041	6	1.8	N/A	
771054PRP-N042	6	1.8	N/A	

Comments:

Survey Area: AM**Survey Unit:** 771054**Building:** 774**Description:** Room 241 upper walls and ceiling (areas greater than 6 foot above final grade)**Total Surface Activity Data Sheet**

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771054PRP-N001	1	7.3	N/A	
771054QRP-N001	2	51.6	N/A	
771054PRP-N002	1	4.1	N/A	
771054QRP-N002	2	15.1	N/A	
771054PRP-N003	1	-7.6	N/A	
771054PRP-N004	1	34.4	N/A	
771054PRP-N005	1	1.4	N/A	
771054PRP-N006	1	19.5	N/A	
771054PRP-N007	1	40.3	N/A	
771054PRP-N008	1	-7.6	N/A	
771054PRP-N009	1	7.3	N/A	
771054PRP-N010	1	10.5	N/A	
771054PRP-N011	2	20.0	N/A	
771054PRP-N012	2	38.3	N/A	
771054PRP-N013	2	-4.6	N/A	
771054PRP-N014	2	35.1	N/A	
771054PRP-N015	2	16.8	N/A	
771054PRP-N016	2	4.5	N/A	
771054PRP-N017	2	20.0	N/A	
771054PRP-N018	2	20.0	N/A	
771054PRP-N019	2	4.5	N/A	
771054PRP-N020	1	13.2	N/A	
771054PRP-N021	1	97.8	N/A	
771054PRP-N022	1	70.6	N/A	
771054PRP-N023	1	16.3	N/A	
771054PRP-N024	1	10.5	N/A	
771054PRP-N025	1	19.5	N/A	
771054PRP-N026	1	4.1	N/A	

Survey Area: AM**Survey Unit:** 771054**Building:** 774**Description:** Room 241 upper walls and ceiling (areas greater than 6 foot above final grade)

Total Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771054PRP-N027	1	13.2	N/A	
771054PRP-N028	2	41.0	N/A	
771054PRP-N029	2	38.3	N/A	
771054PRP-N030	2	-4.6	N/A	
771054PRP-N031	2	41.0	N/A	
771054PRP-N032	2	4.5	N/A	
771054PRP-N033	2	74.8	N/A	
771054PRP-N034	1	25.4	N/A	
771054PRP-N035	1	4.1	N/A	
771054PRP-N036	1	10.5	N/A	
771054PRP-N037	1	4.1	N/A	
771054PRP-N038	1	34.4	N/A	
771054PRP-N039	1	4.1	N/A	
771054PRP-N040	1	7.3	N/A	
771054PRP-N041	1	25.4	N/A	
771054PRP-N042	1	22.2	N/A	



Comments:

RADIOLOGICAL CLOSEOUT SURVEY FOR THE 771 CLUSTER

Survey Area: AM Survey Unit: 771054 Classification: 1
 Building: 774
 Survey Unit Description: Room 241
 Total Floor Area: 278 sq. m Total Area: 1112 sq. m Grid Size: 5m x 5m

SURVEY UNIT 771054 - MAP 1 OF 2

Room 241



Best Available Copy

RADIOLOGICAL CLOSEOUT SURVEY FOR THE 771 CLUSTER

Survey Area: AM

Survey Unit: 771054

Classification: 1

Building: 774


Survey Unit Description: Room 241

Total Floor Area: 278 sq. m


Total Area: 1182 sq. m

Grid Size: 5m x 5m

SURVEY UNIT 771054 - MAP 2 OF 2




Ceiling
(inverted)



Hand Scans


Monitor Scans

Total Scanned Area = 100%



N →

Best Available Copy



ATTACHMENT D

Survey Unit 771056
Radiological Data Summary and Survey Map

Survey Area: AM

Survey Unit: 771056

Building: 774

Description: Room 341 and 344.

Rocky Flats Environmental Technology Site Final Radiological Survey Summary Results

Total Surface Activity Measurements

Number Required: 15

Number Performed: 15

Number QC Performed: 2

Alpha - Random

Maximum: 27.4 dpm/100cm²

Minimum: -14.2 dpm/100cm²

Mean: 8.6 dpm/100cm²

Standard Deviation: 10.9

Transuranic DCGLw: 100.0 dpm/100cm²

Transuranic DCGLemc: 300.0 dpm/100cm²

• Biased TSA and QC measurements not included in above statistics.

Removable Surface Activity Measurements

Number Required: 15

Number Performed: 15

Alpha - Random

Maximum: 2.1 dpm/100cm²

Minimum: -1.8 dpm/100cm²

Mean: -0.4 dpm/100cm²

Standard Deviation: 1.2

Transuranic DCGLw: 20.0 dpm/100cm²

• Biased RSA measurements not included in above statistics.

Media Sample Results

Number Required: 15

Number Collected: 15

Uranium

Maximum: NA dpm/100cm²

Minimum: NA dpm/100cm²

Mean: NA dpm/100cm²

Standard Deviation: NA

Uranium DCGLw: 5,000 dpm/100cm²

Uranium DCGLemc: 15,000 dpm/100cm²

Transuranic

Maximum: 33 dpm/100cm²

Minimum: 0 dpm/100cm²

Mean: 5 dpm/100cm²

Standard Deviation: 8

Transuranic DCGLw: 100 dpm/100cm²

Transuranic DCGLemc: 300 dpm/100cm²

Survey Area: AM**Survey Unit:** 771056**Building:** 774**Description:** Room 341 and 344.

Instrument Data Sheet

Inst/RCT Number	RCT ID	Analysis Date	Instr Model	Instru S/N	Probe Type	Calibration Due Dt	Instru Efficiency		A-Priori MDA (dpm/100cm ²)	
							Alpha	Beta	Alpha	Beta
4	711451	03/20/04	SAC-4	1053	NA	07/22/04	0.330	NA	10.00	NA
5	711451	03/20/04	SAC-4	820	NA	08/18/04	0.330	NA	10.00	NA
6	711451	03/20/04	SAC-4	1185	NA	08/09/04	0.330	NA	10.00	NA
7	711451	03/20/04	Electra	2380	DP-6	08/18/04	0.210	NA	48.00	NA
8	711449	03/20/04	Electra	2372	DP-6	09/01/04	0.218	NA	48.00	NA

Survey Area: AM**Survey Unit:** 771056**Building:** 774**Description:** Room 341 and 344.

Removable Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771056PRP-N001	4	-0.9	N/A	
771056PRP-N002	5	-0.3	N/A	
771056PRP-N003	6	-1.8	N/A	
771056PRP-N004	4	-0.9	N/A	
771056PRP-N005	5	-0.3	N/A	
771056PRP-N006	6	1.2	N/A	
771056PRP-N007	4	0.6	N/A	
771056PRP-N008	5	-1.8	N/A	
771056PRP-N009	6	-0.3	N/A	
771056PRP-N010	4	2.1	N/A	
771056PRP-N011	5	-0.3	N/A	
771056PRP-N012	6	-1.8	N/A	
771056PRP-N013	4	0.6	N/A	
771056PRP-N014	5	-0.3	N/A	
771056PRP-N015	6	-1.8	N/A	

Comments:

Survey Area: AM**Survey Unit:** 771056**Building:** 774**Description:** Room 341 and 344.

Total Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771056PRP-N001	7	21.2	N/A	
771056QRP-N001	7	12.9	N/A	
771056PRP-N002	7	8.4	N/A	
771056QRP-N002	8	14.8	N/A	
771056PRP-N003	7	2.2	N/A	
771056PRP-N004	7	5.0	N/A	
771056PRP-N005	7	-4.5	N/A	
771056PRP-N006	7	8.4	N/A	
771056PRP-N007	7	24.1	N/A	
771056PRP-N008	7	27.4	N/A	
771056PRP-N009	7	2.2	N/A	
771056PRP-N010	8	10.5	N/A	
771056PRP-N011	7	5.0	N/A	
771056PRP-N012	8	-14.2	N/A	
771056PRP-N013	7	11.7	N/A	
771056PRP-N014	8	4.1	N/A	
771056PRP-N015	7	17.9	N/A	

Comments:

Survey Area: AM

Survey Unit: 771056

Building: 774

Description: Room 341 and 344.

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0008-001.001 1 Room 341	U234	NA	NA	1.85	26.3	NA	NA	Uranium NA Transuranic 0
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0570	0.0770			0	0	
	Am241	0.0310	0.0850			0	0	
01N0008-002.001 2 Room 341	U234	NA	NA	6.57	26.3	NA	NA	Uranium NA Transuranic 1
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1080	0.1460			1	1	
	Am241	0.0590	0.0800			1	1	
01N0008-003.001 3 Room 341	U234	NA	NA	4.29	26.3	NA	NA	Uranium NA Transuranic 1
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0000	0.1230			0	1	
	Am241	0.1080	0.1440			1	1	
01N0008-004.001 4 Room 341	U234	NA	NA	2.63	26.3	NA	NA	Uranium NA Transuranic 1
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0780	0.1750			0	1	
	Am241	0.1060	0.1410			0	1	
01N0008-005.001 5 Room 341	U234	NA	NA	13.79	26.3	NA	NA	Uranium NA Transuranic 9
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1870	0.1470			3	3	
	Am241	0.3250	0.0800			6	1	
01N0008-006.001 6 Room 341	U234	NA	NA	7.85	26.3	NA	NA	Uranium NA Transuranic 8
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.2210	0.1230			2	1	
	Am241	0.5970	0.2120			6	2	
01N0008-007.001 7 Room 341	U234	NA	NA	3.84	26.3	NA	NA	Uranium NA Transuranic 33
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.3180	0.1570			2	1	
	Am241	6.2800	0.0810			32	0	

Comments:

Survey Area: AM

Survey Unit: 771056

Building: 774

Description: Room 341 and 344.

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0008-008.001 8 Room 341	U234	NA	NA	1.20	26.3	NA	NA	Uranium NA Transuranic 1
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1130	0.1530			0	0	
	Am241	0.6040	0.0860			1	0	
01N0008-009.001 9 Room 341	U234	NA	NA	16.33	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0140	0.1130			0	2	
	Am241	0.0680	0.0920			2	2	
01N0008-010.001 10 Room 341	U234	NA	NA	11.93	26.3	NA	NA	Uranium NA Transuranic 1
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0000	0.1730			0	3	
	Am241	0.0500	0.1500			1	2	
01N0008-011.001 11 Room 341	U234	NA	NA	8.09	26.3	NA	NA	Uranium NA Transuranic 1
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0160	0.1240			0	1	
	Am241	0.0970	0.1790			1	2	
01N0008-012.001 12 Room 341	U234	NA	NA	11.16	26.3	NA	NA	Uranium NA Transuranic 8
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1280	0.1680			2	3	
	Am241	0.3940	0.1620			6	2	
01N0008-013.001 13 Room 341	U234	NA	NA	5.18	26.3	NA	NA	Uranium NA Transuranic 4
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1720	0.1570			1	1	
	Am241	0.4660	0.0970			3	1	
01N0008-014.001 14 Room 341	U234	NA	NA	3.06	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0270	0.0720			0	0	
	Am241	0.4060	0.2380			2	1	

Survey Area: AM**Survey Unit:** 771056**Building:** 774**Description:** Room 341 and 344.


Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0008-015.001 15 Room 341	U234	NA	NA	2.70	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1060	0.1760			0	1	
	Am241	0.4890	0.0830			2	0	

RADIOLOGICAL CLOSEOUT SURVEY FOR THE 771 CLUSTER

Survey Area: AM Survey Unit: 771056 Classification: 2
 Building: 774
 Survey Unit Description: Room 341, 344
 Total Floor Area: 194 sq. m Total Area: 1034 sq. m Grid Size: 8m x 8m

SURVEY UNIT 771056 - MAP 1 OF 2



Best Available Copy

48

RADIOLOGICAL CLOSEOUT SURVEY FOR THE 771 CLUSTER

Survey Area: AM

Survey Unit: 771056

Classification: 2

Building: 774

Survey Unit Description: Room 341, 342

Total Floor Area: 194 sq. m



Total Area: 1034 sq. m

Grid Size: 8m x 8m


SURVEY UNIT 771056 - MAP 2 OF 2

Room 341

Ceiling
(inverted)



Best Available Copy



ATTACHMENT E

Survey Unit 771057
Radiological Data Summary and Survey Map

Survey Area: AM**Survey Unit:** 771057**Building:** 774**Description:** Room 441 and 442.

Rocky Flats Environmental Technology Site Final Radiological Survey Summary Results

Total Surface Activity Measurements

Number Required: 15

Number Performed: 15

Number QC Performed: 2

Alpha - Random

Maximum: 22.1 dpm/100cm²Minimum: -11.2 dpm/100cm²Mean: 8.7 dpm/100cm²

Standard Deviation: 10.2

Transuranic DCGLw: 100.0 dpm/100cm²Transuranic DCGLemc: 300.0 dpm/100cm²

* Biased TSA and QC measurements not included in above statistics.

Removable Surface Activity Measurements

Number Required: 15

Number Performed: 15

Alpha - Random

Maximum: 3.6 dpm/100cm²Minimum: -1.5 dpm/100cm²Mean: 0.0 dpm/100cm²

Standard Deviation: 1.5

Transuranic DCGLw: 20.0 dpm/100cm²

* Biased RSA measurements not included in above statistics.

Media Sample Results

Number Required: 17

Number Collected: 17

Uranium

Maximum: NA dpm/100cm²Minimum: NA dpm/100cm²Mean: NA dpm/100cm²

Standard Deviation: NA

Uranium DCGLw: 5,000 dpm/100cm²Uranium DCGLemc: 15,000 dpm/100cm²

Transuranic

Maximum: 17 dpm/100cm²Minimum: 0 dpm/100cm²Mean: 7 dpm/100cm²

Standard Deviation: 5

Transuranic DCGLw: 100 dpm/100cm²Transuranic DCGLemc: 300 dpm/100cm²

Survey Area: AM**Survey Unit:** 771057**Building:** 774**Description:** Room 441 and 442.

Instrument Data Sheet

Inst/RCT Number	RCT ID	Analysis Date	Instr Model	Instru S/N	Probe Type	Calibration Due Dt	Instru Efficiency		A-Priori MDA (dpm/100cm ²)	
							Alpha	Beta	Alpha	Beta
8	513699	03/19/04	Electra	2372	DP-6	09/01/04	0.218	NA	48.00	NA
9	711451	03/19/04	Electra	296	DP-6	07/29/04	0.209	NA	48.00	NA
10	515878	03/19/04	SAC-4	1053	NA	07/22/04	0.330	NA	10.00	NA
11	515878	03/19/04	SAC-4	820	NA	08/18/04	0.330	NA	10.00	NA
12	515878	03/19/04	SAC-4	815	NA	08/09/04	0.330	NA	10.00	NA
88	513699	03/19/04	Electra	2372	DP-6	09/01/04	0.218	NA	48.00	NA
99	711451	03/19/04	Electra	296	DP-6	07/29/04	0.209	NA	48.00	NA

Survey Area: AM**Survey Unit:** 771057**Building:** 774**Description:** Room 441 and 442.

Removable Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771057PRP-N001	10	2.1	N/A	
771057PRP-N002	12	0.3	N/A	
771057PRP-N003	10	3.6	N/A	
771057PRP-N004	11	-1.5	N/A	
771057PRP-N005	12	0.3	N/A	
771057PRP-N006	10	-0.9	N/A	
771057PRP-N007	11	-0.0	N/A	
771057PRP-N008	12	-1.2	N/A	
771057PRP-N009	10	-0.9	N/A	
771057PRP-N010	11	-1.5	N/A	
771057PRP-N011	12	-1.2	N/A	
771057PRP-N012	11	-0.0	N/A	
771057PRP-N013	10	2.1	N/A	
771057PRP-N014	11	-0.0	N/A	
771057PRP-N015	12	-1.2	N/A	

Comments:

Survey Area: AM**Survey Unit:** 771057**Building:** 774**Description:** Room 441 and 442.

Total Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771057PRP-N001	8	18.9	N/A	
771057PRP-N002	8	22.1	N/A	
771057PRP-N003	8	-2.7	N/A	
771057PRP-N004	8	15.7	N/A	
771057PRP-N005	8	3.8	N/A	
771057QRP-N005	9	0.1	N/A	
771057PRP-N006	8	12.9	N/A	
771057PRP-N007	9	5.1	N/A	
771057PRP-N008	9	-7.8	N/A	
771057PRP-N009	9	20.9	N/A	
771057QRP-N010	8	-0.1	N/A	
771057PRP-N010	9	-11.2	N/A	
771057PRP-N011	9	14.7	N/A	
771057PRP-N012	8	9.7	N/A	
771057PRP-N013	9	14.7	N/A	
771057PRP-N014	9	11.3	N/A	
771057PRP-N015	9	1.7	N/A	

Comments:

Survey Area: AM

Survey Unit: 771057

Building: 774

Description: Room 441 and 442.

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0009-001.001 1 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0580 0.1730	NA NA NA 0.1490 0.0780	25.35	26.3	NA NA NA 2 6	NA NA NA 5 3	Uranium NA Transuranic 8
01N0009-002.001 2 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.1510 0.3460	NA NA NA 0.1640 0.1560	7.89	26.3	NA NA NA 2 4	NA NA NA 2 2	Uranium NA Transuranic 5
01N0009-003.001 3 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0230 0.1250	NA NA NA 0.1850 0.0850	4.14	26.3	NA NA NA 0 1	NA NA NA 1 1	Uranium NA Transuranic 1
01N0009-004.001 4 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 1.0300 2.3800	NA NA NA 0.0930 0.2350	2.35	26.3	NA NA NA 3 7	NA NA NA 0 1	Uranium NA Transuranic 11
01N0009-005.001 5 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.1320 0.4160	NA NA NA 0.1430 0.0700	7.40	26.3	NA NA NA 1 4	NA NA NA 1 1	Uranium NA Transuranic 5
01N0009-006.001 6 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0460 0.2520	NA NA NA 0.1360 0.0850	3.62	26.3	NA NA NA 0 1	NA NA NA 1 0	Uranium NA Transuranic 1
01N0009-007.001 7 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 1.0800 4.3100	NA NA NA 0.0730 0.0940	2.46	26.3	NA NA NA 4 14	NA NA NA 0 0	Uranium NA Transuranic 17

Comments:

Survey Area: AM

Survey Unit: 771057

Building: 774

Description: Room 441 and 442.

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0009-008.001 8 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.9650 3.4400	NA NA NA 0.0670 0.1540	1.81	26.3	NA NA NA 2 8	NA NA NA 0 0	Uranium NA Transuranic 10
01N0009-009.001 9 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.1350 1.0800	NA NA NA 0.0730 0.0810	6.53	26.3	NA NA NA 1 9	NA NA NA 1 1	Uranium NA Transuranic 10
01N0009-010.001 10 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0300 0.0000	NA NA NA 0.1410 0.0950	7.61	26.3	NA NA NA 0 0	NA NA NA 1 1	Uranium NA Transuranic 0
01N0009-011.001 11 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0000 0.0760	NA NA NA 0.1790 0.1410	33.72	26.3	NA NA NA 0 3	NA NA NA 8 6	Uranium NA Transuranic 3
01N0009-012.001 12 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0820 0.3120	NA NA NA 0.1440 0.1560	15.87	26.3	NA NA NA 2 7	NA NA NA 3 3	Uranium NA Transuranic 8
01N0009-013.001 13 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0100 0.3320	NA NA NA 0.1780 0.0900	25.26	26.3	NA NA NA 0 11	NA NA NA 6 3	Uranium NA Transuranic 11
01N0009-014.001 14 441	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.1760 0.1380	NA NA NA 0.0790 0.0750	2.91	26.3	NA NA NA 1 1	NA NA NA 0 0	Uranium NA Transuranic 1

56

Survey Area: AM

Survey Unit: 771057

Building: 774

Description: Room 441 and 442.



Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0009-015.001 15 441	U234	NA	NA	11.25	26.3	NA	NA	Uranium NA Transuranic 9
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1050	0.1400			2	2	
	Am241	0.4730	0.0850			7	1	
01N0009-016.001 16 441	U234	NA	NA	6.13	26.3	NA	NA	Uranium NA Transuranic 4
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.2050	0.1490			2	1	
	Am241	0.3340	0.1010			3	1	
01N0009-017.001 17 441	U234	NA	NA	11.61	26.3	NA	NA	Uranium NA Transuranic 13
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.3290	0.0690			5	1	
	Am241	0.5460	0.1410			8	2	


RADIOLOGICAL CLOSEOUT SURVEY FOR THE 771 CLUSTER

Survey Area: AM Survey Unit: 771057 Classification: 2
 Building: 774
 Survey Unit Description: 774 Room 441, 443
 Total Floor Area: 186 sq. m Total Area: 1169 sq. m Grid Size: 8m x 8m

SURVEY UNIT 771057 - MAP 1 OF 1



Best Available Copy



ATTACHMENT F

Survey Unit 771058
Radiological Data Summary and Survey Map

Survey Area: AM

Survey Unit: 771058

Building: 774

Description: Room 342

Rocky Flats Environmental Technology Site Final Radiological Survey Summary Results

Total Surface Activity Measurements

Number Required: 15

Number Performed: 15

Number QC Performed: 2

Alpha - Random

Maximum: 85.6 dpm/100cm²

Minimum: -28.9 dpm/100cm²

Mean: 14.4 dpm/100cm²

Standard Deviation: 25.0

Transuranic DCGLw: 100.0 dpm/100cm²

Transuranic DCGLemc: 300.0 dpm/100cm²

* Biased TSA and QC measurements not included in above statistics.

Removable Surface Activity Measurements

Number Required: 15

Number Performed: 15

Alpha - Random

Maximum: 4.3 dpm/100cm²

Minimum: -1.5 dpm/100cm²

Mean: 0.8 dpm/100cm²

Standard Deviation: 1.7

Transuranic DCGLw: 20.0 dpm/100cm²

* Biased RSA measurements not included in above statistics.

Media Sample Results

Number Required: 15

Number Collected: 15

Uranium

Maximum: NA dpm/100cm²

Minimum: NA dpm/100cm²

Mean: NA dpm/100cm²

Standard Deviation: NA

Uranium DCGLw: 5,000 dpm/100cm²

Uranium DCGLemc: 15,000 dpm/100cm²

Transuranic

Maximum: 12 dpm/100cm²

Minimum: 0 dpm/100cm²

Mean: 5 dpm/100cm²

Standard Deviation: 4

Transuranic DCGLw: 100 dpm/100cm²

Transuranic DCGLemc: 300 dpm/100cm²

Survey Area: AM**Survey Unit:** 771058**Building:** 774**Description:** Room 342

Instrument Data Sheet

Inst/RCT Number	RCT ID	Analysis Date	Instr Model	Instru S/N	Probe Type	Calibration Due Dt	Instru Efficiency		A-Priori MDA (dpm/100cm ²)	
							Alpha	Beta	Alpha	Beta
1	600586	03/28/04	Electra	392	DP-6	09/09/04	0.221	NA	48.00	NA
2	600586	03/28/04	Electra	2382	DP-6	07/09/04	0.220	NA	48.00	NA
3	711798	03/28/04	Electra	2385	DP-6	06/03/04	0.219	NA	48.00	NA
4	600586	03/28/04	SAC-4	1185	NA	08/09/04	0.330	NA	10.00	NA
5	600586	03/28/04	SAC-4	1053	NA	07/22/04	0.330	NA	10.00	NA
6	600586	03/28/04	SAC-4	820	NA	08/18/04	0.330	NA	10.00	NA
7	600586	03/28/04	SAC-4	815	NA	08/09/04	0.330	NA	10.00	NA
15	516572	04/07/04	Electra	394	DP-6	06/26/04	0.226	NA	48.00	NA
16	516572	04/07/04	SAC-4	820	NA	08/18/04	0.330	NA	10.00	NA

Survey Area: AM**Survey Unit:** 771058**Building:** 774**Description:** Room 342

Removable Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771058PRP-N001	4	-0.3	N/A	
771058PRP-N002	4	4.2	N/A	
771058PRP-N003	16	-0.3	N/A	
771058PRP-N004	6	-1.5	N/A	
771058PRP-N005	6	-0.0	N/A	
771058PRP-N006	7	1.8	N/A	
771058PRP-N007	4	1.2	N/A	
771058PRP-N008	5	2.1	N/A	
771058PRP-N009	7	1.8	N/A	
771058PRP-N010	5	2.1	N/A	
771058PRP-N011	5	0.6	N/A	
771058PRP-N012	6	-0.0	N/A	
771058PRP-N013	5	-0.9	N/A	
771058PRP-N014	6	-1.5	N/A	
771058PRP-N015	4	2.7	N/A	

Comments:

Survey Area: AM**Survey Unit:** 771058**Building:** 774**Description:** Room 342

Total Surface Activity Data Sheet

Random Measurement Location	Inst / RCT Nbr	Net Alpha (dpm/100cm ²)	Net Beta (dpm/100cm ²)	
771058PRP-N001	1	13.2	N/A	
771058QRP-N001	3	-4.8	N/A	
771058PRP-N002	1	-1.8	N/A	
771058QRP-N002	3	-4.8	N/A	
771058PRP-N003	15	15.1	N/A	
771058PRP-N004	1	85.5	N/A	
771058PRP-N005	1	31.3	N/A	
771058PRP-N006	1	-4.9	N/A	
771058PRP-N007	1	1.4	N/A	
771058PRP-N008	2	-28.9	N/A	
771058PRP-N009	1	1.4	N/A	
771058PRP-N010	1	13.2	N/A	
771058PRP-N011	1	4.1	N/A	
771058PRP-N012	1	22.2	N/A	
771058PRP-N013	1	13.2	N/A	
771058PRP-N014	1	16.3	N/A	
771058PRP-N015	1	34.4	N/A	

Comments:

Survey Area: AM

Survey Unit: 771058

Building: 774

Description: Room 342

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0023-001.001 1 West Wall	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0040 0.5350	NA NA NA 0.0330 0.1540	10.28	26.3	NA NA NA 0 7	NA NA NA 0 2	Uranium NA Transuranic 7
01N0023-002.001 2 West Wall	U234 U235 U238 Pu239/240 Am241	NA NA NA -0.0050 0.0920	NA NA NA 0.1670 0.0830	7.09	26.3	NA NA NA 0 1	NA NA NA 2 1	Uranium NA Transuranic 1
01N0023-003.001 3 West Wall	U234 U235 U238 Pu239/240 Am241	NA NA NA -0.0330 0.1830	NA NA NA 0.1760 0.0820	3.35	26.3	NA NA NA 0 1	NA NA NA 1 0	Uranium NA Transuranic 1
04Z0383-001.001 4 South Wall	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0850 0.2430	NA NA NA 0.1160 0.2080	7.81	26.3	NA NA NA 1 3	NA NA NA 1 2	Uranium NA Transuranic 3
04Z0383-002.001 5 North Wall	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.5200 0.1750	NA NA NA 0.2820 0.1190	5.19	26.3	NA NA NA 4 1	NA NA NA 2 1	Uranium NA Transuranic 5
04Z0383-003.001 6 North Wall	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.0000 0.3310	NA NA NA 0.3130 0.1120	17.90	26.3	NA NA NA 0 8	NA NA NA 7 3	Uranium NA Transuranic 8
01N0023-007.001 7 East Wall	U234 U235 U238 Pu239/240 Am241	NA NA NA 0.3720 0.3830	NA NA NA 0.0840 0.1580	8.15	26.3	NA NA NA 4 4	NA NA NA 1 2	Uranium NA Transuranic 8

Comments: Samples 4, 5, and 6 replace samples originally taken for RLC on the floor that were above the DCGLw. The media on the floor and lower walls will be removed.

Survey Area: AM

Survey Unit: 771058

Building: 774

Description: Room 342

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0023-008.001 8 East Wall	U234	NA	NA	7.70	26.3	NA	NA	Uranium NA Transuranic 12
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.9490	0.0950			10	1	
	Am241	0.2580	0.0780			3	1	
01N0023-009.001 9 East Wall	U234	NA	NA	7.56	26.3	NA	NA	Uranium NA Transuranic 9
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.4960	0.0840			5	1	
	Am241	0.4090	0.2190			4	2	
01N0023-010.001 10 East Wall	U234	NA	NA	6.32	26.3	NA	NA	Uranium NA Transuranic 2
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0320	0.0860			0	1	
	Am241	0.1530	0.0830			1	1	
01N0023-011.001 11 East Wall	U234	NA	NA	8.85	26.3	NA	NA	Uranium NA Transuranic 4
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.2410	0.1730			3	2	
	Am241	0.1240	0.1650			1	2	
01N0023-012.001 12 East Wall	U234	NA	NA	6.65	26.3	NA	NA	Uranium NA Transuranic 3
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1710	0.1460			2	1	
	Am241	0.1820	0.0990			2	1	
01N0023-013.001 13 Ceiling	U234	NA	NA	2.51	26.3	NA	NA	Uranium NA Transuranic 0
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.0900	0.0810			0	0	
	Am241	0.0300	0.0800			0	0	
01N0023-014.001 14 Ceiling	U234	NA	NA	10.63	26.3	NA	NA	Uranium NA Transuranic 8
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1440	0.0780			2	1	
	Am241	0.4030	0.0840			6	1	

65

Survey Area: AM

Survey Unit: 771058

Building: 774

Description: Room 342

Media Samples Data Sheet

Site Sample ID / Nbr Description	Nuclide	Sample (pCi/g)	Sample MDA (pCi/g)	Weight (g)	Surface Area (in ²)	Sample Nuclide (dpm/100cm ²)	Sample Nuclide MDA (dpm/100cm ²)	Sample Total (dpm/100cm ²)
01N0023-004.001 15 Ceiling	U234	NA	NA	6.84	26.3	NA	NA	Uranium NA Transuranic 1
	U235	NA	NA			NA	NA	
	U238	NA	NA			NA	NA	
	Pu239/240	0.1060	0.1420			1	1	
	Am241	0.0300	0.0820			0	1	

66

RADIOLOGICAL CLOSEOUT SURVEY FOR THE 771 CLUSTER

Survey Area: AM

Survey Unit: 771058

Classification: 2

Building: 774

Survey Unit Description: Room 342


Total Floor Area: 31 sq. m

Total Area: 245 sq. m




Grid Size: 4m x 4m

SURVEY UNIT 771058 - MAP 1 OF 1


Room 342



Ceiling
(inverted)



Best Available Copy



67

ATTACHMENT G
Data Quality Assessment

DATA QUALITY ASSESSMENT (DQA)

VERIFICATION & VALIDATION OF RESULTS

V&V of the data confirm that appropriate quality controls are implemented throughout the sampling and analysis process, and that any substandard controls result in qualification or rejection of the data in question. The required quality controls and their implementation are summarized in a tabular, checklist format for each category of data – radiological surveys and chemical analyses (specifically beryllium).

DQA criteria and results are provided in a tabular format for each suite of surveys or chemical analyses performed; the radiological survey assessment is provided in Table E-1, and beryllium in E-2. A data completeness summary for all results is given in Table E-3.

All relevant Quality records supporting this report are maintained in the B774 Interior Characterization Project Files. This report will be submitted to the CERCLA Administrative Record for permanent storage within 30 days of approval by the Regulators. All radiological data are organized into Survey Packages, which correlate to unique (MARSSIM) Survey Units. Chemical data are organized by RIN (Report Identification Number) and are traceable to the sample number and corresponding sample location.

Survey designs were implemented based on the transuranic limits used as DCGLs in the unrestricted release decision process. All survey results were evaluated against, and were less than the Transuranic DCGL_w (100 dpm/100cm²).

SUMMARY

In summary, the data presented in this report have been verified and validated relative to the quality requirements and project decisions as stated in the original DQOs. All data are useable based on qualifications stated herein and are considered satisfactory without qualification. All media surveyed and sampled yielded results less than their associated action levels and with acceptable uncertainties.

Based upon an independent review of the radiological data, it is determined that the original project DQOs satisfied MARSSIM guidance. All facility contamination levels were below applicable unrestricted release levels, except as noted above. Minimum survey requirements were met, sampling/survey protocol was performed in accordance with applicable procedures, survey units were properly designed and bounded, and instrument performance and calibration were within acceptable limits.

Chain of Custody was intact; documentation was complete, hold times were acceptable (where applicable,) and packaging integrity/custody seals were maintained throughout the sampling/analysis process. Level 2 Isolation Controls have been implemented to prevent the inadvertent introduction of further contamination into the facility. On this basis, the B774 Interior meets the RLCP and PDSP DQO criteria with the confidences stated herein.

Table E-1 V&V of Radiological Surveys – B774 Interior

V&V CRITERIA, RADIOLGICAL SURVEYS		K-H RSP 16.00 Series MARSSIM (NUREG-1575)		
QUALITY REQUIREMENTS				
	Parameters	Measure	Frequency	COMMENTS
ACCURACY	initial calibrations	80%<x<120%	≥1	Calibration using Alpha Group procedure and approved technicians.
	daily source checks	80%<x<120%	≥1/day	Performed daily/within range.
	local area background: Field	typically < 10 dpm	≥1/day	All local area backgrounds were within expected Ranges <10 Cpm
PRECISION	field duplicate measurements for TSA	≥5% of real survey points	≥100% packages	N/A
REPRESENTATIVENESS	MARSSIM methodology: Survey Unit 771058/771057/771056/771054/771048	statistical	NA	Random w/ statistical confidence.
	Survey Maps	NA	NA	Random measurement locations controlled/mapped to ±1m.
	Controlling Documents (Characterization Pkg; RSPs)	qualitative	NA	Refer to the Characterization Package (planning document) for field/sampling procedures (located in Project files); thorough documentation of the planning, sampling/analysis process, and data reduction into formats.
COMPARABILITY	units of measure	dpm/100cm ²	NA	Use of standardized engineering units in the reporting of measurement results.
COMPLETENESS	Plan vs. Actual surveys usable results vs. unusable	>95% >95%	NA	
SENSITIVITY	detection limits	TSA: ≤50 dpm/100cm ² RA: ≤10 dpm/100cm ²	all measures	MDAs ≤ ½ DCGL _w per MARSSIM guidelines.

Table E-2 V&V of Beryllium Results – B774 Interior

V&V CRITERIA, CHEMICAL ANALYSES		DATA PACKAGE		
BERYLLIUM	Prep: NMAM 7300 METHOD: OSHA ID-125G	LAB ---->	Johns Manville Corp. Denver, Co.	
QUALITY REQUIREMENTS		RIN ---->	RIN 774-03-03- 2004-76-121 thru 143 RIN 774-04-07- 2004-76-101 thru 112 and 113B thru 114B	
		Measure	Frequency	COMMENTS
ACCURACY	Calibrations			No qualifications significant enough to change project decisions, i.e., classification of Type 3 facilities confirmed. All results were below associated action levels.
	Initial	linear calibration	≥1	
	Continuing	80%<%R<120%	≥1	
	LCS/MS	80%<%R<120%	≥1	
	Blanks - lab & field	<MDL	≥1	
	interference check std (ICP)	NA	NA	
PRECISION	Laboratory Control Sample Duplicate	80%<%R<120% (RPD<20%)	≥1	
	field duplicate	all results < RL	≥1	
REPRESENTATIVENESS	COC	Qualitative	NA	
	hold times/preservation	Qualitative	NA	
	Controlling Documents (Plans, Procedures, maps, etc.)	Qualitative	NA	
COMPARABILITY	measurement units	ug/100cm ²	NA	
COMPLETENESS	Plan vs. Actual samples usable results vs. unusable	>95% >95%	NA	
SENSITIVITY	detection limits	MDL of 0.10ug/100cm ²	all measures	

Table E-3 Data Completeness Summary – B774 Interior

ANALYTE	Building/Area /Unit	Sample Number Planned (Real & QC) ^A	Sample Number Taken (Real & QC)	Project Decisions (Conclusions) & Uncertainty	Comments (RIN, Analytical Method, Qualifications, etc.)
Beryllium	B774 Interior	32 biased (interior) 4 Blanks	32 biased (interior) 4 Blanks	No beryllium contamination found at any location, all results below the regulatory limit	OSHA ID-125G RIN 774-03-03-2004-76-121 thru 143 RIN 774-04-07-2004-76-101 thru 114 No results above action level (0.2ug/100cm ²) or investigative level (0.1 ug/100cm ²).
Radiological	Survey Area: AM Survey Unit: 771058 B774 Room 342	15 α TSA (15 – Random/Systematic) and 15 α Smears (15 - Random/Systematic) 2 QC TSA 15 Media 44% exterior scanned	15 α TSA (15 – Random/Systematic) and 15 α Smears (15 - Random/Systematic) 2 QC TSA 15 Media 44% exterior scanned	No elevated contamination at any location; all values below PDS unrestricted release levels No results above action level	Transuranic DCGLs RIN Sample numbers: 01N0023-001.001 Thru 01N0023-004.001, 04Z0383-001.001 Thru 04Z0383-003.001, 01N0023-007.001 Thru 01N0023-014.001 No results above action level
Radiological	Survey Area: AM Survey Unit: 771057 B774 Room 441	15 α TSA (15 – Random/Systematic) and 15 α Smears (15 - Random/Systematic) 2 QC TSA	15 α RSA (15 – Random/Systematic) and 15 α Smears (15 - Random/Systematic) 2 QC TSA	No elevated contamination at any location from DOE added isotope; all values below PDS unrestricted release levels No results above action	Transuranic DCGLs RIN Sample numbers: 01N0009-001.001 Thru 01N0009-017.001 No results above action level

Table E-3 Data Completeness Summary – B774 Interior

ANALYTE	Building/Area /Unit	Sample Number Planned (Real & QC) ^A	Sample Number Taken (Real & QC)	Project Decisions (Conclusions) & Uncertainty	Comments (RIN, Analytical Method, Qualifications, etc.)
		17 Media 33% Scanned	17 Media 33% Scanned	level	
Radiological	Survey Area: AM Survey Unit: 771056 B774 Room 341	15 α TSA (15 – Random/Systematic) and 15 α Smears (15 - Random/Systematic) 2 QC TSA 15 Media 39% Scanned	15 α TSA (15 – Random/Systematic) and 15 α Smears (15 - Random/Systematic) 2 QC TSA 15 Media 39% Scanned	No elevated contamination at any location from DOE added isotope; all values below PDS unrestricted release levels No results above action level	Transuranic DCGLs RIN Sample numbers: 01N0008-001.001 Thru 01N0008-015.001 No results above action level
Radiological	Survey Area: AM Survey Unit: 771054 B774 Room 241	42 α TSA (42 – Random/Systematic) and 42 α Smears (42 - Random/Systematic) 2 QC TSA 26 Media 100% Scanned	42 α TSA (42 – Random/Systematic) and 42 α Smears (42 - Random/Systematic) 2 QC TSA 26 Media 100% Scanned	No elevated contamination at any location from DOE added isotope; all values below PDS unrestricted release levels No results above action level	Transuranic DCGLs RIN Sample numbers: 01N0007-001.001, 01N0007-003.001 Thru 01N0007-006.001, 01N0007-008.001, 01N0007-011.001 Thru 01N0007-016.001, 03Z2172-001.001, 03Z1949-003.001 Thru 03Z1949-015.001 No results above action level

Table E-3 Data Completeness Summary -- B774 Interior

ANALYTE	Building/Area /Unit	Sample Number Planned (Real & QC) ^A	Sample Number Taken (Real & QC)	Project Decisions (Conclusions) & Uncertainty	Comments (RIN, Analytical Method, Qualifications, etc.)
Radiological	Survey Area: AM Survey Unit: 771048 B774 Stairwell	15 α TSA (15 - Random/Systematic) and 15 α Smears (15 - Random/Systematic) 2 QC TSA 15 Media 100% Scanned	15 α TSA (15 - Random/Systematic) and 15 α Smears (15 - Random/Systematic) 2 QC TSA 15 Media 100% Scanned	No elevated contamination at any location from DOE added isotope; all values below PDS unrestricted release levels No results above action level	Transuranic DCGLs RIN Sample numbers: 03Z2110-001.001 Thru 03Z2110-0015.001 No results above action level

ATTACHMENT H

Historical Review

**Building 774 Interior
Historical Review
April 14, 2004**

Facility ID: Buildings 774, Interior (Survey Area AM)
Anticipated Facility Type (1, 2, or 3): Type 3.
Physical Description: The interior of the 774 Building encompasses approximately 3786m ² . The primary material used in its construction is painted poured concrete with intermittent use of painted cinder block.
Historical Operations: This survey unit consists of structural surfaces only. The Building 774 Addition, built in 1973, was known as the plenum building because of the 2 plenums that supplied and filtered air for the rooms and the glove boxes/vent hoods for B774. These plenums are located in rooms 441 and 341. Room 342 had 4 vertical tanks where various solutions were loaded for operations. Rooms 441, 341 and 342 were not posted/controlled as a Contamination Area/Airborne Radioactivity Area during operations. Room 241 and the South Stairwell were controlled as process areas because they housed reagent and precipitation tanks.
Current Operational Status: Building 774 is no longer in operation.
Contaminants of Concern
Asbestos None
Beryllium (Be) The interior of Rooms 341 and 441 have never been posted/controlled as a Beryllium (Be) Area, based on historical and existing classifications and historical use. Personnel interviews confirm that these rooms were never Beryllium areas. Room 241 was controlled as a Beryllium Regulated Area (BRA) during plasma arc size reduction of the tanks in the room. All areas have since been de-posted from BCA/BRA.
Lead None
RCRA/CERCLA Constituents Personnel interviews indicate that RCRA storage units were never located in this area. A visual inspection of the 774 interior 771774 Environmental Compliance/Industrial Hygiene personnel verified the absence of hazardous waste residuals and/or stains on the floor/concrete slab, walls, or ceiling. As a result of these observances, it has been determined that no additional sampling for RCRA/CERCLA constituents is required.
PCBs Free-flowing or exposed PCBs have never been used or transferred on the interior of 774.
Radiological Contaminants The contaminants of concern for the 771 project, including all areas of Buildings 771 and 774, are transuranic alpha-emitting radioisotopes (including Pu-238, Pu-239/240, Pu-242, and Am-241). Based on findings documented in Radiological Engineering TBD-00161, Rev. 0, alpha-only surveys assure that the unrestricted-release limits for any other isotopes that may exist in Building 771/774 will not be exceeded.
Environmental Restoration Concerns No Individual Hazardous Substance Sites (IHSS) exist beneath the Building 774 1973 Addition.

**Building 774 Interior
Historical Review
April 14, 2004**

Additional Information

None

References

- (1) *B771 and B774 Hazards Characterization Report for the 771 Closure Project*, dated June 12, 2001, Revision 0.
- (2) *Building 771/774 Cluster Closure Project Reconnaissance Level Characterization Report*, dated August 8, 1998, Revision 2.

Further Actions

Complete the PDS process.

Prepared By:

T. Fontaine

Name

Signature

Date

4-14-04



ATTACHMENT I

Chemical Data Summaries and Sample Maps.


BERYLLIUM CHARACTERIZATION SURVEY FOR BUILDING 771 CLUSTER

Survey Area: AM Survey Unit: 771054 (Be) Classification: N/A
 Building: 774
 Survey Unit Description: Room 241
 Total Floor Area: 2993 sq. ft Total Area: N/A Grid Size: 1 ft x 1 ft

SURVEY UNIT 771054 (Be) - MAP 1 OF 1



Best Available Copy



Industrial Hygiene Information System

Surface Sample Report

IHISR_SURFACE_SAMPLE

Date: 03/10/2004

Page: 1 of 3

RIN: 04Z1279

Sample Number/Type: 774-03032004-76-121 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-122 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-123 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-124 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-125 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-126 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-127 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-128 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-129 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-130 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-131 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-132 WIPE Hygienist: TONYA BEAN

81

Industrial Hygiene Information System

Surface Sample Report

IHSR_SURFACE_SAMPLE

Date: 03/10/2004

Page: 2 of 3

RIN: 04Z1279

Sample Number/Type: 774-03032004-76-132 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-133 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-134 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-135 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-136 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-137 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-138 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-139 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-140 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-141 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-142 WIPE Hygienist: TONYA BEAN
Location Info: SURVEY UNIT 771054 FLOOR WIPES ROOM 241
Room No: 241
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-03032004-76-142B BLANK Hygienist: TONYA BEAN

82

Industrial Hygiene Information System

Surface Sample Report

IHSR_SURFACE_SAMPLE

Date: 03/10/2004

Page: 3 of 3

RIN: 04Z1279

Sample Number/Type: 774-03032004-76-142B BLANK Hygienist: TONYA BEAN
Location Info:
Room No:
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG


Sample Number/Type: 774-03032004-76-143B BLANK Hygienist: TONYA BEAN
Location Info:
Room No:
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG

83


BERYLLIUM CHARACTERIZATION SURVEY FOR THE 771 CLUSTER

Survey Area: AM Survey Unit: 771056 Be Classification: NA
 Building: 774
 Survey Unit Description: Room 341 Floor
 Total Floor Area: 524 sq. ft. Total Area: NA Grid Size: NA


SURVEY UNIT 771056 Be - MAP 1 OF 1



Sample location	Sample Number	Sample Result
101 thru 106	774-04-07-2004-76-101 thru 106	<0.1 ug/100 sq. cm
Blanks	774-04-07-2004-76-113B thru 114B	<0.1 ug/100 sq. cm



Best Available Copy




84


BERYLLIUM CHARACTERIZATION SURVEY FOR THE 771 CLUSTER

Survey Area: AM Survey Unit: 771057 Be Classification: NA
Building: 774
Survey Unit Description: Room 441 Plenum
Total Floor Area: 1015 sq. ft. Total Area: NA Grid Size: NA

SURVEY UNIT 771057 Be - MAP 1 OF 1



Sample location	Sample Number	Sample Result
107 thru 112	774-04-07-2004-76-107 thru 112	<0.1 ug/100 sq. cm
Blanks	774-04-07-2004-76-113B thru 114B	<0.1 ug/100 sq. cm



<u>SURVEY MAP LEGEND</u>	
	Be Smears
	Open Inaccessible Area
	Area in Another Location

Industrial Hygiene Information System

Surface Sample Report

IHSR_SURFACE_SAMPLE

Date: 04/12/2004

Page: 1 of 2

RIN: 04Z1644

Sample Number/Type:	774-04072004-76-101	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	341			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-102	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	341			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-103	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	341			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-104	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	341			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-105	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	341			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-106	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	341			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-107	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-108	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-109	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-110	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-111	WIPE	Hygienist:	TONYA BEAN
Location Info:	FINAL SURVEY ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-04072004-76-112	WIPE	Hygienist:	TONYA BEAN

86

Industrial Hygiene Information System

Surface Sample Report

IHISR_SURFACE_SAMPLE

Date: 04/12/2004

Page: 2 of 2

RIN: 04Z1644

Sample Number/Type: 774-04072004-76-112 WIPE Hygienist: TONYA BEAN
Location Info: FINAL SURVEY ON FLOOR
Room No: 441
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-04072004-76-113B BLANK Hygienist: TONYA BEAN
Location Info:
Room No:
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG

Sample Number/Type: 774-04072004-76-114B BLANK Hygienist: TONYA BEAN
Location Info:
Room No:
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG


87

BERYLLIUM CHARACTERIZATION SURVEY FOR THE 771 CLUSTER


Survey Area: AM Survey Unit: 771056 Be Classification: NA
Building: 774
Survey Unit Description: Room 341 Filter Plenum

Total Floor Area: 524 sq. ft. Total Area: NA Grid Size: NA

SURVEY UNIT 771056 Be - MAP 1 OF 1



Sample location	Sample Number	Sample Result
101 thru 106	774-04-13-2004-76-101 thru 106	<0.1 ug/100 sq. cm
Blanks	774-04-13-2004-76-107B thru 108B	<0.1 ug/100 sq. cm



Best Available Copy



Industrial Hygiene Information System

Surface Sample Report

IHISR_SURFACE_SAMPLE

Date: 04/14/2004

Page: 1 of 1

RIN: 04D0547

Sample Number/Type: 774-04132004-76-101 WIPE Hygienist: TONYA BEAN
Location Info: FINAL SURVEY ON FLOOR 341 PLENUM
Room No: 341
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-04132004-76-102 WIPE Hygienist: TONYA BEAN
Location Info: FINAL SURVEY ON FLOOR 341 PLENUM
Room No: 341
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-04132004-76-103 WIPE Hygienist: TONYA BEAN
Location Info: FINAL SURVEY ON FLOOR
Room No: 341
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-04132004-76-104 WIPE Hygienist: TONYA BEAN
Location Info: FINAL SURVEY ON FLOOR 341 PLENUM
Room No: 341
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-04132004-76-105 WIPE Hygienist: TONYA BEAN
Location Info: FINAL SURVEY ON FLOOR 341 PLENUM
Room No: 341
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-04132004-76-106 WIPE Hygienist: TONYA BEAN
Location Info: FINAL SURVEY ON FLOOR
Room No: 341
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG/100CM2

Sample Number/Type: 774-04132004-76-107B BLANK Hygienist: TONYA BEAN
Location Info:
Room No:
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG

Sample Number/Type: 774-04132004-76-108B BLANK Hygienist: TONYA BEAN
Location Info:
Room No:
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG

89

BERYLLIUM CHARACTERIZATION SURVEY FOR THE 771 CLUSTER

Survey Area: AM

Survey Unit: 771057 Be

Classification: NA

Building: 774


Survey Unit Description: Room 441 Plenum

Total Floor Area: 1015 sq. ft.


Total Area: NA

Grid Size: NA


SURVEY UNIT 771057 Be - MAP 1 OF 1



Sample location	Sample Number	Sample Result
101 thru 111	774-03-17-2004-76-101 thru 111	<0.1 ug/100 sq. cm
Blanks	774-03-18-2004-76-101B thru 102B	<0.1 ug/100 sq. cm



Best Available Copy



90

Industrial Hygiene Information System

Surface Sample Report

IHISR_SURFACE_SAMPLE

Date: 03/18/2004

Page: 1 of 2

RIN: 04Z1435

Sample Number/Type:	774-03172004-76-101	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-102	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-103	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-104	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-105	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-106	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-107	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-108	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-109	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-110	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03172004-76-111	WIPE	Hygienist:	TONYA BEAN
Location Info:	SURVEY UNIT 771056 WIPE ON FLOOR			
Room No:	441			
Analyte:	BERYLLIUM AND BE COMPOUNDS (AS BE)			
Concentration:	< 0.1000 _ UG/100CM2			
Sample Number/Type:	774-03182004-76-101B	BLANK	Hygienist:	TONYA BEAN

Industrial Hygiene Information System

Surface Sample Report

IHISR_SURFACE_SAMPLE

Date: 03/18/2004

Page: 2 of 2

RIN: 04Z1435

Sample Number/Type: 774-03182004-76-101B BLANK Hygienist: TONYA BEAN
Location Info:
Room No:
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG

Sample Number/Type: 774-03182004-76-102B BLANK Hygienist: TONYA BEAN
Location Info:
Room No:
Analyte: BERYLLIUM AND BE COMPOUNDS (AS BE)
Concentration: < 0.1000 _ UG

92

d.

Survey Unit 771054 Data Summary

Total Surface Activity Measurements

16	16
Number Required	Number Obtained

	PRE	POST
MIN	-7.7	2.3
MAX	22.4	175.8
MEAN	9.3	47.5
STD DEV	7.4	54.6

TRANSURANIC DCGL _w	100	100	dpm/100 cm ²
-------------------------------	-----	-----	-------------------------

Removable Activity Measurements

16	16
Number Required	Number Obtained

	PRE	POST	
MIN	-1.5	-1.5	dpm/100 cm ²
MAX	3.0	9.1	dpm/100 cm ²
MEAN	0.4	1.2	dpm/100 cm ²
STD DEV	1.5	2.8	dpm/100 cm ²

TRANSURANIC DCGL _w	20	20	dpm/100 cm ²
-------------------------------	----	----	-------------------------

Media Sample Activity

Media Samples

16	16
Number Required	Number Obtained

Total Transuranic Results

MIN	-0.1	dpm/100 cm ²
MAX	2762.6	dpm/100 cm ²
MEAN	292.0	dpm/100 cm ²
STD DEV	702.0	dpm/100 cm ²

< 100 surface of paint
up to 175 dpm beneath paint
sample up to 3000 k dpm

< 200 walls

94

Survey Unit 771054 Total Surface Contamination Results

Pre-Sample Total Surface Activity Survey					Post-Sample Total Surface Activity Survey					
Meter Model:	NE Electra w/ DP6 Probe				Local Area Bkcd (cpm)	Meter Model:	NE Electra w/ DP6 Probe			Local Area Bkcd (cpm)
Instrument #:	1270	1257	1370	1277	3.0	Instrument #:	1270	1257	1370	2.8
Cal. Due Date:	11/17/00	2/24/01	11/18/00	1/24/01		Cal. Due Date:	11/17/00	2/24/01	11/18/00	
Efficiency (c/d):	0.223	0.236	0.220	0.225		Efficiency (c/d):	0.223	0.236	0.220	
Sample Location Number	Total Surface Activity Measurements				Sample Location Number	Quality Control Measurements				
	Serial #	Date	(cpm)	(dpm/100 cm ²)		Serial #	Date	(cpm)	(dpm/100 cm ²)	
1	1277	10/11/00	4.7	7.5	1	1277	10/11/00	6.7	17.4	
2	1277	10/11/00	3.7	3.1	2	1277	10/11/00	10.0	32.0	
3	1270	10/06/00	6.0	13.4	3	1270	10/06/00	6.3	15.8	
4	1270	10/06/00	6.7	16.6	4	1270	10/06/00	4.3	6.8	
5	1270	10/06/00	1.3	-7.7	5	1270	10/06/00	9.3	29.2	
6	1370	10/10/00	4.7	7.7	6	1370	10/10/00	16.0	60.1	
7	1270	10/06/00	5.3	10.3	7	1270	10/06/00	9.3	29.2	
8	1270	10/06/00	4.7	7.6	8	1270	10/06/00	42.0	175.8	
9	1270	10/06/00	4.7	7.6	9	1270	10/06/00	34.0	140.0	
10	1270	10/06/00	6.7	16.6	10	1270	10/06/00	34.7	143.1	
11	1270	10/06/00	8.0	22.4	11	1270	10/06/00	10.0	32.3	
12	1270	10/06/00	2.7	-1.4	12	1270	10/06/00	7.3	20.2	
13	1270	10/06/00	6.0	13.4	13	1270	10/06/00	5.3	11.3	
14	1270	10/06/00	6.0	13.4	14	1270	10/06/00	3.3	2.3	
15	1270	10/06/00	6.0	13.4	15	1270	10/06/00	4.7	8.6	
16	1270	10/06/00	4.0	4.5	16	1370	10/10/00	10.7	36.0	
QC - 4	1257	10/06/00	6.3	5.5	QC - 8	1257	10/06/00	54.7	214.8	
QC - 11	1257	10/06/00	6.7	7.2	QC - 9	1257	10/06/00	29.3	107.2	
			MIN	-7.7				MIN	2.3	
			MAX	22.4				MAX	175.8	
			MEAN	9.3				MEAN	47.5	
			SD	7.4				SD	54.6	
			Transuranic DCGLw	100				Transuranic DCGLw	100	

Best Available Copy

Survey Unit 771054 Removable Surface Activity Results

Smear Location Number	Pre-Sample Smear Results					Post-Sample Smear Results				
	Serial Number	Date Counted	Gross (counts)	Gross (cpm)	(dpm/100 cm ²)	Serial Number	Date Counted	Gross (counts)	Gross (cpm)	(dpm/100 cm ²)
1	828	10/11/00	2.0	1.0	1.5	828	10/11/00	1.0	0.5	0.0
2	828	10/10/00	1.0	0.5	0.0	828	10/10/00	2.0	1.0	1.5
3	832	10/10/00	1.0	0.5	0.0	832	10/10/00	0.0	0.0	-1.5
4	828	10/10/00	0.0	0.0	-1.5	828	10/10/00	1.0	0.5	0.0
5	832	10/10/00	0.0	0.0	-1.5	832	10/10/00	2.0	1.0	1.5
6	828	10/10/00	2.0	1.0	1.5	828	10/10/00	0.0	0.0	-1.5
7	832	10/10/00	1.0	0.5	0.0	832	10/10/00	1.0	0.5	0.0
8	828	10/10/00	1.0	0.5	0.0	828	10/10/00	5.0	2.5	6.1
9	832	10/10/00	3.0	1.5	3.0	832	10/10/00	3.0	1.5	3.0
10	828	10/10/00	2.0	1.0	1.5	828	10/10/00	7.0	3.5	9.1
11	832	10/10/00	0.0	0.0	-1.5	832	10/10/00	1.0	0.5	0.0
12	828	10/10/00	1.0	0.5	0.0	828	10/10/00	1.0	0.5	0.0
13	832	10/10/00	3.0	1.5	3.0	832	10/10/00	2.0	1.0	1.5
14	828	10/10/00	0.0	0.0	-1.5	828	10/10/00	1.0	0.5	0.0
15	832	10/10/00	2.0	1.0	1.5	832	10/10/00	0.0	0.0	-1.5
16	828	10/10/00	1.0	0.5	0.0	828	10/10/00	2.0	1.0	1.5
				MIN	-1.5				MIN	-1.5
				MAX	3.0				MAX	9.1
				MEAN	0.4				MEAN	1.2
				SD	1.5				SD	2.8
				Transuranic DCGL _w	20				Transuranic DCGL _w	20

Survey Unit 771054 Paint/Solid Media Sample Results

LOCATION DESCRIPTION (Building 774)	SAMPLE LOCATION NUMBER	SITE SAMPLE ID (01N0007-)	NUCLIDE	pCi/g	MDA (pCi/g)	WEIGHT (g)	SURFACE AREA (in ²)	INDIVIDUAL NUCLIDE (dpm/100cm ²)	ESTIMATED MDA (dpm/100cm ²)	TRANSURANIC TOTAL (dpm/100cm ²) DCGL _w =100
Room 247, ceiling	1	001.001	Pu-239/240	0.021	0.164	9.52	26.25	0.3	2.0	1.4
			Am-241	0.093	0.084			1.2	1.0	
Room 247, ceiling	2	008.001	Pu-238	0.107	0.072	4.81	26.25	0.7	0.5	2.8
			Pu-239/240	0.133	0.072			0.8	0.5	
			Am-241	0.208	0.188			1.3	1.2	
Room 241, west wall	3	003.001	Pu-239/240	0.576	0.156	5.39	26.25	4.1	1.1	7.5
			Am-241	0.484	0.159			3.4	1.1	
Room 241, west wall	4	004.001	Pu-239/240	-0.007	0.213	6.18	26.25	-0.1	1.7	11.1
			Am-241	1.380	0.172			11.2	1.4	
Room 241, south wall	5	005.001	Pu-239/240	0.073	0.164	17.39	26.25	1.7	3.7	8.0
			Am-241	0.277	0.094			6.3	2.1	
Room 241, south wall	6	006.001	Pu-239/240	0.587	0.151	6.89	26.25	5.3	1.4	16.2
			Am-241	1.210	0.183			10.9	1.7	
Room 241, floor	7	007.001	Pu-239/240	1.310	0.126	42.55	26.25	73.1	7.0	377.1
			Am-241	5.450	0.093			304.0	5.2	
Room 241, floor	8	002.001	Pu-238	0.908	0.632	33.77	26.25	40.2	28.0	2762.6
			Pu-239/240	21.900	0.292			969.5	12.9	
			Am-241	39.600	0.081			1753.0	3.6	
Room 241, floor	9	009.001	Pu-239/240	9.230	0.121	15.37	26.25	186.0	2.4	597.0
			Am-241	20.400	0.083			411.0	1.7	
Room 241, floor	10	010.001	Pu-238	0.192	0.074	19.97	26.25	5.0	1.9	787.5
			Pu-239/240	7.390	0.074			193.5	1.9	
			Am-241	22.500	0.167			589.0	4.4	
Room 241, north wall	11	011.001	Pu-239/240	0.031	0.084	11.57	26.25	0.5	1.3	2.0
			Am-241	0.098	0.133			1.5	2.0	
Room 241, north wall	12	012.001	Pu-239/240	4.280	0.151	5.42	52.5	15.2	0.5	60.0
			Am-241	12.600	0.180			44.8	0.6	
Tank Mez. Ceiling	13	013.001	Pu-239/240	0.080	0.147	14.47	26.25	1.5	2.8	2.0
			Am-241	0.025	0.200			0.5	3.8	
Tank Mez. Ceiling	14	014.001	Pu-239/240	-0.035	0.182	15.47	26.25	-0.7	3.7	-0.1
			Am-241	0.032	0.086			0.6	1.7	
Room 241, column P5	15	015.001	Pu-239/240	0.629	0.292	4.32	26.25	6.7	3.1	16.5
			Am-241	0.906	0.213			9.7	2.3	
Room 241, column P6	16	016.001	Pu-239/240	0.666	0.148	8.18	26.25	7.1	1.6	20.4
			Am-241	1.240	0.112			13.3	1.2	

MIN	-0.1
MAX	2762.6
MEAN	292.0

97

Survey Unit 771054 Paint/Solid Media Sample Results

LOCATION DESCRIPTION (Building 774)	SAMPLE LOCATION NUMBER	SITE SAMPLE ID (01N0007-)	NUCLIDE	pCi/g	MDA (pCi/g)	WEIGHT (g)	SURFACE AREA (in ²)	INDIVIDUAL NUCLIDE (dpm/100cm ²)	ESTIMATED MDA (dpm/100cm ²) SD	TRANSURANIC TOTAL (dpm/100cm ²) DCGL _w =100
									DCGL _w =	702.0
										100

Survey Unit 771054 Paint/Solid Media Sample Results

01N0007 11/02/2000

LOCATION DESCRIPTION (Building 774)	SAMPLE LOCATION NUMBER	SITE SAMPLE ID (01N0007-)	NUCLIDE	pCi/g	MDA (pCi/g)	WEIGHT (g)	SURFACE AREA (in ²)	INDIVIDUAL NUCLIDE (dpm/100cm ²)	ESTIMATED MDA (dpm/100cm ²)	TRANSURANIC TOTAL (dpm/100cm ²) DCGL _w = 100
Room 241, ceiling	1	001.001	Pu-239/240	0.021	0.164	9.52	26.25	0.3	2.0	
			Am-241	0.093	0.084			1.2	1.0	1.4
Room 241, ceiling	2	008.001	Pu-238	0.107	0.072	33.77	26.25	4.7	3.2	
			Pu-239/240	0.133	0.072			5.9	3.2	
			Am-241	0.208	0.188			9.2	8.3	19.8
Room 241, west wall	3	003.001	Pu-239/240	0.576	0.156	5.39	26.25	4.1	1.1	
			Am-241	0.484	0.159			3.4	1.1	7.5
Room 241, west wall	4	004.001	Pu-239/240	-0.007	0.213	6.18	26.25	-0.1	1.7	
			Am-241	1.380	0.172			11.2	1.4	11.1
Room 241, south wall	5	005.001	Pu-239/240	0.073	0.164	17.39	26.25	1.7	3.7	
			Am-241	0.277	0.094			6.3	2.1	8.0
Room 241, south wall	6	006.001	Pu-239/240	0.587	0.151	6.89	26.25	5.3	1.4	
			Am-241	1.210	0.183			10.9	1.7	16.2
Room 241, floor	7	007.001	Pu-239/240	1.310	0.126	42.55	26.25	73.1	7.0	
			Am-241	5.450	0.093			304.0	5.2	377.1
Room 241, floor	8	002.001	Pu-238	0.908	0.632	4.81	26.25	5.7	4.0	
			Pu-239/240	21.900	0.292			138.1	1.8	
			Am-241	0.208	0.188			1.3	1.2	145.1
Room 241, floor	9	009.001	Pu-239/240	9.230	0.121	15.37	26.25	186.0	2.4	
			Am-241	20.400	0.083			411.0	1.7	597.0
Room 241, floor	10	010.001	Pu-238	0.192	0.074	19.97	26.25	5.0	1.9	
			Pu-239/240	7.390	0.074			193.5	1.9	
			Am-241	22.500	0.167			589.0	4.4	787.5
Room 241, north wall	11	011.001	Pu-239/240	0.031	0.084	11.57	26.25	0.5	1.3	
			Am-241	0.098	0.133			1.5	2.0	2.0
Room 241, north wall	12	012.001	Pu-239/240	4.280	0.151	5.42	52.5	15.2	0.5	
			Am-241	12.600	0.180			44.8	0.6	60.0
Tank Mez. Ceiling	13	013.001	Pu-239/240	0.080	0.147	14.47	26.25	1.5	2.8	
			Am-241	0.025	0.200			0.5	3.8	2.0
Tank Mez. Ceiling	14	014.001	Pu-239/240	-0.035	0.182	15.47	26.25	-0.7	3.7	
			Am-241	0.032	0.086			0.6	1.7	-0.1
Room 241, column P5	15	015.001	Pu-239/240	0.629	0.292	4.32	26.25	3.6	3.1	
			Am-241	0.906	0.213			5.1	2.3	8.7
Room 241, column P6	16	016.001	Pu-239/240	0.666	0.148	8.18	26.25	7.1	1.6	
			Am-241	1.240	0.112			13.3	1.2	20.4

Note: 01N0007-002-001 was taken in location 8

Note: 01N0007-008-001 was taken in location 2

Note: Sample Team doubled surface area

Ceiling Samples

Floor Samples

MIN	-0.1
MAX	787.5
MEAN	129.0
SD	242.0
DCGL _w =	100

Survey Unit 771054 Paint/Solid Media Sample Results

03Z1949 07/29/03

MAP SAMPLE LOCATION NUMBER	SITE SAMPLE ID (03Z1949-)	NUCLIDE	pCi/g	MDA (pCi/g)	WEIGHT (g)	SURFACE AREA (in ²)	INDIVIDUAL NUCLIDE (dpm/100cm ²)	ESTIMATED MDA (dpm/100cm ²)	TRANSURANIC TOTAL (dpm/100cm ²) DCGL _w =100
1 West Wall	001.001	Pu-239/240	3.630	0.136	6.34	24	33.0	1.2	
		Am-241	10.100	0.336			91.8	3.1	124.8
2 North Wall	002.001	Pu-239/240	4.230	0.179	6.42	24	38.9	1.6	
		Am-241	8.490	0.286			78.1	2.6	117.1
3 North Wall	003.001	Pu-239/240	6.740	0.101	2.78	24	26.9	0.4	
		Am-241	0.885	0.121			3.5	0.5	30.4
4 South Wall	004.001	Pu-239/240	0.594	0.101	10.13	24	8.6	1.5	
		Am-241	1.560	0.447			22.7	6.5	31.3
5 South Wall	005.001	Pu-239/240	0.524	0.100	9.51	24	7.1	1.4	
		Am-241	1.540	0.382			21.0	5.2	28.1
6 South Wall	006.001	Pu-239/240	0.617	0.116	8.66	24	7.7	1.4	
		Am-241	1.750	0.290			21.7	3.6	29.4
7 West Wall	007.001	Pu-239/240	0.722	0.113	18.27	24	18.9	3.0	
		Am-241	4.970	0.428			130.2	11.2	149.1
8 West Wall	008.001	Pu-239/240	0.944	0.116	9.33	24	12.6	1.6	
		Am-241	2.400	0.344			32.1	4.6	44.7
9 Mezz. Ceiling	009.001	Pu-239/240	0.756	0.139	7.01	24	7.6	1.4	
		Am-241	0.794	0.079			8.0	0.8	15.6
10 Ceiling	010.001	Pu-239/240	0.215	0.084	9.04	24	2.8	1.1	
		Am-241	0.346	0.284			4.5	3.7	7.3
11 Ceiling	011.001	Pu-239/240	0.864	0.165	0.72	24	0.9	0.2	
		Am-241	0.960	0.413			1.0	0.4	1.9
12 Ceiling	012.001	Pu-239/240	2.330	0.144	5.40	24	18.0	1.1	
		Am-241	3.270	0.409			25.3	3.2	43.4
13 Ceiling	013.001	Pu-239/240	1.840	0.163	1.43	24	3.8	0.3	
		Am-241	3.900	0.279			8.0	0.6	11.8
14 Ceiling	014.001	Pu-239/240	1.810	0.139	2.62	24	6.8	0.5	
		Am-241	1.050	0.226			3.9	0.8	10.7
15 Ceiling	015.001	Pu-239/240	1.760	0.125	2.60	24	6.6	0.5	
		Am-241	3.680	0.211			13.7	0.8	20.3

MIN	1.9
MAX	149.1
MEAN	44.4
SD	46.6
DCGL _w =	100

0372172 07/29/03

MIN	44.5
MAX	157.7
MEAN	105.1
SD	57.0
DCGL _w =	100

Survey Unit 771096 Paint/Solid Media Sample Results

03Z2273 07/29/03

MAP SAMPLE LOCATION NUMBER	SITE SAMPLE ID (03Z2273-)	NUCLIDE	pCi/g	MDA (pCi/g)	WEIGHT (g)	SURFACE AREA (in ²)	INDIVIDUAL NUCLIDE (dpm/100cm ²)	ESTIMATED MDA (dpm/100cm ²)	TRANSURANIC TOTAL (dpm/100cm ²) DCGL _w =100	Square Meter Average
Original Sample Point #2 RIN 03Z2172	002.001	Pu-239/240	5.570	0.185	11.80	24	94.2	3.1		
		Am-241	1.120	0.182			18.9	3.1	113.2	
m ² Avg Sample # 2	001.001	Pu-239/240	0.176	0.08	10.25	24	2.6	1.2		
		Am-241	0.825	0.093			12.1	1.4	14.7	
m ² Avg Sample # 2	002.001	Pu-239/240	0.138	0.184	6.45	24	1.3	1.7		
		Am-241	0.822	0.106			7.6	1.0	8.9	
m ² Avg Sample # 2	003.001	Pu-239/240	0.616	0.083	5.19	24	4.6	0.6		
		Am-241	0.505	0.091			3.8	0.7	8.3	
m ² Avg Sample # 2	004.001	Pu-239/240	0.435	0.180	4.65	24	2.9	1.2		
		Am-241	0.661	0.099			4.4	0.7	7.3	
m ² Avg Sample # 2	005.001	Pu-239/240	0.398	0.116	4.42	24	2.5	0.7		
		Am-241	0.482	0.187			3.1	1.2	5.6	
m ² Avg Sample # 2	006.001	Pu-239/240	0.385	0.131	4.47	24	2.5	0.8		
		Am-241	0.449	0.152			2.9	1.0	5.3	
m ² Avg Sample # 2	007.001	Pu-239/240	0.145	0.094	6.32	24	1.3	0.9		
		Am-241	0.483	0.119			4.4	1.1	5.7	
m ² Avg Sample # 2	008.001	Pu-239/240	0.242	0.097	7.92	24	2.7	1.1		19.8
		Am-241	0.530	0.096			6.0	1.1	8.8	
Original Sample Point #7 RIN 03Z2172	003.001	Pu-239/240	0.454	0.194	13.07	24	8.5	3.6		
		Am-241	7.960				149.2	0.0	157.7	
m ² Avg Sample # 7	017.001	Pu-239/240	0.822	0.201	5.85	24	6.9	1.7		
		Am-241	6.130				51.4	0.0	58.3	
m ² Avg Sample # 7	018.001	Pu-239/240	0.297	0.161	17.70	24	7.5	4.1		
		Am-241	2.560				65.0	0.0	72.5	
m ² Avg Sample # 7	019.001	Pu-239/240	0.859	0.093	17.94	24	22.1	2.4		
		Am-241	3.420				88.0	0.0	110.1	
m ² Avg Sample # 7	020.001	Pu-239/240	0.546	0.082	23.68	24	18.5	2.8		
		Am-241	2.700				91.7	0.0	110.2	
m ² Avg Sample # 7	021.001	Pu-239/240	0.126	0.085	26.93	24	4.9	3.3		
		Am-241	1.210				46.7	0.0	51.6	
m ² Avg Sample # 7	022.001	Pu-239/240	0.130	0.173	20.10	24	3.7	5.0		
		Am-241	0.409				11.8	0.0	15.5	
m ² Avg Sample # 7	023.001	Pu-239/240	0.894	0.097	7.54	24	9.7	1.0		
		Am-241	5.140				55.6	0.0	65.2	
m ² Avg Sample # 7	024.001	Pu-239/240	0.312	0.084	11.46	24	5.1	0.9		71.8
		Am-241					0.0	0.0	5.1	

MIN	5.3
MAX	157.7
MEAN	44.1
SD	47.9
DCGL _w =	100

Radiological Survey Record

INSTRUMENT DATA

Mfg: NA	Mfg: LUDLUM	Mfg: HIQ
Model:	Model: 2929	Model: L0V0L
Serial #:	Serial #: 185292	Serial #: 406687
Cal Due:	Cal Due: 6-16-04	Cal Due: 4-14-04
Bkg:	Bkg: .8	Bkg: NA
Efficiency:	Efficiency: 35.2	Efficiency: NA
MDA:	MDA: 20 dpm	MDA: NA
Mfg: NA	Mfg: EBERLINE	Mfg: EBERLINE
Model:	Model: E600	Model: SAC 4
Serial #:	Serial #: 278	Serial #: 1488
Cal Due:	Cal Due: 10-8-04	Cal Due: 7-18-04
Bkg:	Bkg: 6	Bkg: .2
Efficiency:	Efficiency: 19.24	Efficiency: 33%
MDA:	MDA: 58 dpm	MDA: 20 dpm

Building: 774

Location: Rm 441 Plenum

Purpose: DOWNPOST FROM CA

RWP #: 771-M-04-40064

Date: 3-12-04 Time: 1230

RCT: SUGHTNER / [Signature] [Redacted]

Print name Signature Emp. #

RCT: J. Selisky / [Signature] [Redacted]

Print name Signature Emp. #

Comments: Large area wipes are 1 m² unless otherwise noted. Dose rate survey results are recorded directly on maps or drawings on reverse side. All dose rate readings are in $\mu\text{rem/hr}$ unless otherwise noted. SEE BACK

Survey Tracking #: 771M-04- 0704

Air Sample Tracking #: M-771-A04- ~~NA~~ 0436

ID	Location	wipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/wipe	ID	Location	wipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/wipe
1	SHLF	< 20	< 58	< 58	21	CEILING	< 20	< 58	< 58
2	WALL	< 20	< 58	< 58	22	FLOOR	< 20	< 58	< 58
3	SHLF	< 20	< 58	< 58	23	WALL	< 20	< 58	< 58
4	CEILING	< 20	< 58	< 58	24	WALL	< 20	< 58	< 58
5	FLOOR SHLF	< 20	< 58	< 58	25	CEILING	< 20	< 58	< 58
6	WALL	< 20	< 58	< 58	26	FLOOR	< 20	< 58	< 58
7	FLOOR	< 20	< 58	< 58	27	WALL	< 20	< 58	< 58
8	WALL	< 20	< 58	< 58	28	WALL	< 20	< 58	< 58
9	WALL	< 20	< 58	< 58	29	WALL	< 20	< 58	< 58
10	WALL	< 20	< 58	< 58	30	FLOOR	< 20	< 58	< 58
11	FLOOR	< 20	< 58	< 58	31	FLOOR	< 20	< 58	< 58
12	WALL	< 20	< 58	< 58	32	CEILING	< 20	< 58	< 58
13	FLOOR	< 20	< 58	< 58	33	WALL	< 20	< 58	< 58
14	FLOOR	< 20	< 58	< 58	34	WALL 2nd floor	< 20	< 58	< 58
15	WALL	< 20	< 58	< 58	35	WALL	< 20	< 58	< 58
16	CEILING	< 20	< 58	< 58	36	FLOOR	< 20	< 58	< 58
17	FLOOR	< 20	< 58	< 58	37	WALL	< 20	< 58	< 58
18	WALL	< 20	< 58	< 58	38	WALL	< 20	< 58	< 58
19	WALL	< 20	< 58	< 58	39	FLOOR	< 20	< 58	< 58
20	WALL	< 20	< 58	< 58	40	CEILING	< 20	< 58	< 58

Date Reviewed: 3/13/04

RCT Supervisor:


Print Name

Signature

MACTEC, Inc.

page 2 of 3

Survey Record Drawing(s) Showing Survey Points



Rm 441
PEN

○ SMEAR
LAW

□ DIRECT
ERISK

103

ID	Location	swipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/wipe
41	WALL	< 20	< 58	< 58
42	WALL	< 20	< 58	< 58
43	WALL	< 20	< 58	< 58
44	FLOOR	< 20	< 58	< 58
45	FLOOR	< 20	< 58	< 58
46	CEILING	< 20	< 58	< 58
47	WALL	< 20	< 58	< 58
48	WALL	< 20	< 58	< 58
49	FAN	< 20	< 58	< 58
50	FAN	< 20	< 58	< 58
51	WALL	< 20	< 58	< 58
52	WALL	< 20	< 58	< 58
53	FAN	< 20	< 58	< 58
54	FAN	< 20	< 58	< 58
55	WALL	< 20	< 58	< 58
56	WALL	< 20	< 58	< 58
57	CEILING	< 20	< 58	< 58
58	WALL	< 20	< 58	< 58
59	FLOOR	< 20	< 58	< 58
60	FLOOR	< 20	< 58	< 58
61	FLOOR	< 20	< 58	< 58
62	FLOOR	< 20	< 58	< 58
63	WALL	< 20	< 58	< 58
64	CEILING	< 20	< 58	< 58
65	FLOOR	< 20	< 58	< 58
66	CEILING	< 20	< 58	< 58
67	WALL	< 20	< 58	< 58
68	FLOOR	< 20	< 58	< 58
69	FLOOR	< 20	< 58	< 58
70		< 20	< 58	< 58
71		< 20	< 58	< 58
72		< 20	< 58	< 58
73		< 20	< 58	< 58
74		< 20	< 58	< 58
75		< 20	< 58	< 58
76	FLOOR	< 20	< 58	< 58
NA	NA	NA	NA	NA

RC-0025, Rev. 1, Jan. 2003

INSTRUMENT DATA

Mfg. <u>Eberline</u>	Mfg. <u>Eberline</u>	Mfg. <u>Eberline</u>
Model <u>SAC-4</u>	Model <u>SAC-4</u>	Model <u>SAC-4</u>
Serial # <u>1185</u>	Serial # <u>1053</u>	Serial # <u>820</u>
Cal Due <u>8-9-04</u>	Cal Due <u>7-22-04</u>	Cal Due <u>8-18-04</u>
Bkg. <u>0.2cpm</u>	Bkg. <u>0.5cpm</u>	Bkg. <u>0.6cpm</u>
Efficiency <u>.33</u>	Efficiency <u>.33</u>	Efficiency <u>.33</u>
MDA <u>20dpm</u>	MDA <u>20dpm</u>	MDA <u>20dpm</u>
Mfg. <u>Eberline</u>	Mfg. <u>N/A</u>	Mfg. <u>N/A</u>
Model <u>SAC-4</u>	Model <u></u>	Model <u></u>
Serial # <u>815</u>	Serial # <u></u>	Serial # <u></u>
Cal Due <u>8-9-04</u>	Cal Due <u></u>	Cal Due <u></u>
Bkg. <u>0.3cpm</u>	Bkg. <u></u>	Bkg. <u></u>
Efficiency <u>.33</u>	Efficiency <u></u>	Efficiency <u></u>
MDA <u>20dpm</u>	MDA <u>N/A</u>	MDA <u>N/A</u>

Survey Type: Contamination (alpha)Building: 77477 KX 3-22-04Location: Room 3414344Purpose: Penetrations SurveyRWP #: 04-771-5445Date: 3-22-04 Time: 2300
 RCT: KLCreason1 KZ Creason
 Print name Signature

 RCT: N/A 1 N/A 1 N/A
 Print name Signature Emp. #
PRN/REN #: N/A
 Comments: See Maps for survey point locations. Some areas on map were not surveyed due to non-accessibility. The areas surveyed are noted by number on the maps.
Survey Tracking No.: 771-04-S 0422

SURVEY RESULTS

A/S Tracking No.: 771-04-A N/A

I.D. #	LOCATION	alpha		
		swipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/wipe
1	See Maps	220	N/A	N/A
2		220		
3		220		
4		220		
5		220		
6		220		
7		220		
8		220		
9		220		
10		220		
11		220		
12		220		
13		220		
14		220		
15		220		
16		220		
17		220		
18		220		
19		220		
20	See Maps	220	N/A	N/A

I.D. #	LOCATION	alpha		
		swipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/wipe
21	See Maps	220	N/A	N/A
22		220		
23		220		
24		220		
25		220		
26		220		
27		220		
28		220		
29		220		
30		220		
31		220		
32		220		
33		220		
34		220		
35		220		
36		220		
37		220		
38		220		
39		220		
40	See Maps	220	N/A	N/A

Date Reviewed: 3-23-04RS Supervision: EDWARD D. NEEL

Print Name

Signature

RADIOLOGICAL SAFETY

Continuation of Contamination Survey Points


I.D. #	LOCATION	alpha		
		swipe dpm/ 100cm ²	direct dpm/ 100cm ²	wipe dpm/ wipe
41	See Maps	420	N/A	N/A
42		420		
43		420		
44		420		
45		420		
46		420		
47		420		
48		420		
49		420		
50		420		
51		420		
52		420		
53		420		
54		420		
55		420		
56		420		
57		420		
58		420		
59		420		
60		420		
61		420		
62		420		
63		420		
64		420		
65	See Maps	420		
66	N/A	N/A		
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80	N/A	N/A	N/A	N/A

I.D. #	LOCATION	alpha		
		swipe dpm/ 100cm ²	direct dpm/ 100cm ²	wipe dpm/ wipe
81	N/A	N/A	N/A	N/A
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				
99				
100				
101				
102				
103				
104				
105				
106				
107				
108				
109				
110				
111				
112				
113				
114				
115				
116				
117				
118				
119				
120	N/A	N/A	N/A	N/A


'RADIOLOGICAL SAFETY

Drawing Showing Survey Points

Room 341



Room 344



ROCKY FL. S ENVIRONMENTAL TECHNOLOGY SITE

INSTRUMENT DATA

Mfg. <u>NE Tech</u>	Mfg. <u>Eberline</u>	Mfg. <u>Eberline</u>
Model <u>Electra</u>	Model <u>SAC-4</u>	Model <u>SAC-4</u>
Serial # <u>391</u>	Serial # <u>1185</u>	Serial # <u>1053</u>
Cal Due <u>8-20-04</u>	Cal Due <u>8-9-04</u>	Cal Due <u>7-22-04</u>
Bkg. <u>3.0cpm</u>	Bkg. <u>0.6cpm</u>	Bkg. <u>0.3cpm</u>
Efficiency <u>.221</u>	Efficiency <u>.33</u>	Efficiency <u>.33</u>
MDA <u>94dpm</u>	MDA <u>20dpm</u>	MDA <u>20dpm</u>

Mfg. <u>Eberline</u>	Mfg. <u>N/A</u>	Mfg. <u>N/A</u>
Model <u>SAC-4</u>	Model <u></u>	Model <u></u>
Serial # <u>820</u>	Serial # <u></u>	Serial # <u></u>
Cal Due <u>8-18-04</u>	Cal Due <u></u>	Cal Due <u></u>
Bkg. <u>0.6cpm</u>	Bkg. <u></u>	Bkg. <u></u>
Efficiency <u>.33</u>	Efficiency <u></u>	Efficiency <u></u>
MDA <u>20dpm</u>	MDA <u>N/A</u>	MDA <u>N/A</u>

Survey Type: Contamination (alpha)

Building: 771/774
 Location: Room 341 Ductwork
 Purpose: Investigational Survey

RWP #: 04-771-1031

Date: 3-24-04 Time: 1930

RCT: KLCreason1 KZCreason
 Print name Signature

RCT: Doug Osborne Doug Osborne
 Print name Signature

PRN/REN #: N/A

Comments: See Map for Survey point Locations.

Survey Tracking No.: 771-04-S 0436

SURVEY RESULTS

A/S Tracking No.: 771-04-A N/A

I.D. #	LOCATION	alpha		
		swipe dpm/ 100cm ²	direct dpm/ 100cm ²	wipe dpm/ wipe
1	See Map	220	294	N/A
2		220	294	
3		220	294	
4		220	294	
5		220	294	
6		220	294	
7		220	294	
8		220	294	
9		220	294	
10		220	294	
11		220	294	
12		220	294	
13	See Map	220	294	
14	N/A	N/A	N/A	
15				
16				
17				
18				
19				
20	N/A	N/A	N/A	N/A

I.D. #	LOCATION	alpha		
		swipe dpm/ 100cm ²	direct dpm/ 100cm ²	wipe dpm/ wipe
21	N/A	N/A	N/A	N/A
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40	N/A	N/A	N/A	N/A

Date Reviewed: 3-25-04

RS Supervision: W BROWER


Print Name

Signature

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

RADIOLOGICAL SAFETY

Drawing Showing Survey Points



ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

COPY

INSTRUMENT DATA

Mfg. <u>EBERLINE</u>	Mfg. <u>EBERLINE</u>	Mfg. <u>NA</u>
Model <u>SAC 4</u>	Model <u>SAC 4</u>	Model <u>NA</u>
Serial # <u>1185</u>	Serial # <u>1053</u>	Serial # <u>NA</u>
Cal Due <u>8-9-04</u>	Cal Due <u>2-22-04</u>	Cal Due <u>NA</u>
Bkg. <u>0.4</u>	Bkg. <u>0.6</u>	Bkg. <u>NA</u>
Efficiency <u>33%</u>	Efficiency <u>33%</u>	Efficiency <u>NA</u>
MDA <u>20 d/m</u>	MDA <u>20 d/m</u>	MDA <u>NA</u>
Mfg. <u>NA</u>	Mfg. <u>NA</u>	Mfg. <u>NA</u>
Model <u>NA</u>	Model <u>NA</u>	Model <u>NA</u>
Serial # <u>NA</u>	Serial # <u>NA</u>	Serial # <u>NA</u>
Cal Due <u>NA</u>	Cal Due <u>NA</u>	Cal Due <u>NA</u>
Bkg. <u>NA</u>	Bkg. <u>NA</u>	Bkg. <u>NA</u>
Efficiency <u>NA</u>	Efficiency <u>NA</u>	Efficiency <u>NA</u>
MDA <u>NA</u>	MDA <u>NA</u>	MDA <u>NA</u>

Survey Type: Contamination (alpha)

Building: 771 - 274
 Location: NORTH WALL OF 241 OUTSIDE
 Purpose: INVESTIGATION

RWP #: 04-771-1031

Date: 4-6-04 Time: 14:30

RCT: SAZZOLONEI [Signature]
 Print name Signature

RCT: N/A N/A
 Print name Signature

PRN/REN #: NA

Comments: _____

Survey Tracking No.: 771-04-S 0489

SURVEY RESULTS

A/S Tracking No.: 771-04-A NA

I.D. #	LOCATION	alpha		
		swipe dpm/ 100cm ²	direct dpm/ 100cm ²	wipe dpm/ wipe
1	See map	220	NA	NA
2	on back	220		
3		220		
4		220		
5		220		
6		220		
7		220		
8		220		
9		220		
10		220		
11		220		
12		220		
13		220		
14		220		
15	✓	220		
16	NA	NA		
17				
18				
19				
20	NA	NA	NA	NA

I.D. #	LOCATION	alpha		
		swipe dpm/ 100cm ²	direct dpm/ 100cm ²	wipe dpm/ wipe
21	NA			
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				

Date Reviewed: 4.6.04

RS Supervision: EDWARD D. NEER

Print Name


[Signature]
 Signature

7909

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

RADIOLOGICAL SAFETY

Drawing Showing Survey Points



File

EBERLINE SERVICES
RFETS
SUMMARY REPORT

Spectroscopy Date(s): 03/1/04

Location: RFETS B774 Room 241 Sump

Customer: Sarah Roberts

Description: B774 Room 241 Sump (5'H x 9'W x 6'D)

Notes: The purpose of the measurements is to identify and quantify the gamma-emitting radionuclides present within the concrete floor and walls of Room 241 Sump, Building 774. All spectra are visually reviewed and the final radionuclide peak identifications are performed using the *Table of Radioactive Isotopes* by Browne and Firestone.


Assumptions/Deviations: Alpha concentration calculation is based on Am-241 59 keV photopeak unless indicated otherwise. Contamination was assumed to be evenly distributed within the material to the depth indicated. When surface contamination within the detector FOV was identified, modeling parameters were adjusted accordingly. Total alpha values reported were calculated from assay values for Am-241 using a obtained multiplication factor of 8.23 from TBD-00076 (34 year old wgPu), unless otherwise indicated. Pu239/240 values were empirically derived based upon RFETS WgPu ratios.

Matrices and depths were chosen based on information provided by project personnel.

Final results are provided within the attached "Survey Results" report.

Analyst: 

Date: 3/4/04

Reviewer: 

Date: 3/4/04

CC: ES files

Eberline Services - RFETS
Survey Results
03/02/04

Building 774 Room 241 Sump Floor and Wall Surveys

Map/Room	Map ID	Area Type	Detect?	Detector	Spectrum File ID	SNAP Am241 Activity Concentration (nCi/g)	SNAP Am241 Activity Concentration MDA (nCi/g)	Pu-239/240 Activity Concentration (nCi/g)	Total Alpha Concentration (Am-241/Pu-239/240) (nCi/g)	Total Alpha MDA (nCi/g)	Assumed Contamination Depth (Inches)	Assumed Total Thickness (Inches)	Estimated Average Pu-239/240 Slab Activity Concentration (nCi/g)	Estimated Average Pu-239/240+Am-241 Slab Activity Concentration (nCi/g)	
B774 Room 241 Sump Floor Midpoint (Grate)	Rm 241	Sump	Y	33-TN40488A	03010401	3.51E+00	5.58E-02	2.44E+01	2.79E+01	4.59E-01	0.06	7.00	2.09E-01	2.39E-01	(1)
B774 Room 241 Sump Floor Midpoint (Grate)	Rm 241	Sump	Y	33-TN40488A	03010401	4.18E-01	6.65E-03	2.91E+00	3.32E+00	5.47E-02	1.00	7.00	4.15E-01	4.75E-01	(1)
B774 Room 241 Sump Floor/West Wall (Grate)	Rm 241	Sump	Y	33-TN40488A	03010402	3.97E+00	1.43E-01	2.76E+01	3.16E+01	1.18E+00	0.06	7.00	2.37E-01	2.71E-01	(1)
B774 Room 241 Sump Floor/West Wall (Grate)	Rm 241	Sump	Y	33-TN40488A	03010402	4.73E-01	1.70E-02	3.29E+00	3.76E+00	1.40E-01	1.00	7.00	4.70E-01	5.37E-01	(1)
B774 Room 241 Sump Floor/East Wall (open grate)	Rm 241	Sump	Y	33-TN40488A	03010404	3.52E+00	7.24E-02	2.45E+01	2.80E+01	5.96E-01	0.06	7.00	2.10E-01	2.40E-01	(1)
B774 Room 241 Sump Floor/East Wall (open grate)	Rm 241	Sump	Y	33-TN40488A	03010404	4.24E-01	8.72E-03	2.95E+00	3.37E+00	7.18E-02	1.00	7.00	4.21E-01	4.82E-01	(1)

NOTES:

- Specific activity values for each isotope are taken from TBD-00076, "Activities for Isotopes of Concern in Weapons Plutonium as a Function of Time", for 34 year old plutonium.
- Assumed contamination depth and total material thickness are estimates based on information provided by project personnel.

Best Available Copy

Attachment 1

EBERLINE SUMMARY OF GAMMA SPECTROSCOPY DATA ANALYSES

Project Number: Bldg. 771/774, Sarah Roberts

Gamma Spectroscopy System: Brutus2003

QC Count Filename(s): 030104qc.chn

Background Filename(s): none

Item Barcodes, Spectrum ID numbers, and waste descriptions can be found in Attachment 2.

QUALIFIED SPECTROSCOPISTS COMMONLY UTILIZE THE FOLLOWING TECHNIQUES IN THE PROCESS OF ANALYZING MEASUREMENT DATA. THE USE OF SOME TECHNIQUES IS BASED ON THE PROFESSIONAL JUDGMENT OF THE ANALYST.

Background Stripping: Subtraction of the background spectrum from the item spectrum.

Geometry/Attenuation Corrections: Correction for source-to-detector geometry, and the attenuation of gamma-rays through the waste matrix and container walls.

Multiple Peak Averaging: Averaging of activities over multiple gamma emission peaks from the same radionuclide or radionuclides which are expected to be in equilibrium with one another.

Multiple Geometries: Characterization of the distribution of contamination in a waste item by measuring from multiple sides or positions (this frequently includes rotation of the waste item during the count). This allows the spectroscopist to weight the contamination model accordingly and reduce the overall uncertainty in the assay result.

Automated Reports: Programmed batch routines perform peak searches and calculate net area counts for each spectrum analyzed.

Active Spectrum Review: All spectra are visually reviewed and the final radionuclide peak identifications are performed using the Table of Radioactive Isotopes by Browne and Firestone, or an equivalent reference. Energy lines reported in peak summary tables are not necessarily considered valid by the reviewing analyst. Peaks determined as invalid often include naturally occurring radionuclides which were not identified in the background spectrum, or statistically insignificant peaks caused by slight fluctuations in the Compton continuum. Statistically insignificant peaks are identified as "SF", or statistical fluctuations. In addition, valid peaks are occasionally missed by the automated peak search routine. Valid peaks not identified by the automated search routine are manually evaluated by the analyst.

Relative Efficiency: There are some cases where the activity for a nuclide may be calculated using relative efficiency methods. These cases will be denoted with an asterisk (*) in Table 1.

**EBERLINE SERVICES
RFETS
SUMMARY REPORT**

Spectroscopy Date(s): 03/25/04, 03/26/04, 04/01/04

Location: RFETS B774 Room 241

Customer: Sarah Roberts

Description: B774 Room 241 Floor

Notes: The purpose of the measurements is to identify and quantify the gamma-emitting radionuclides present within the concrete floor of Room 241, Building 774. All spectra are visually reviewed and the final radionuclide peak identifications are performed using the *Table of Radioactive Isotopes* by Browne and Firestone.

Assumptions/Deviations: Alpha concentration calculation is based on Am-241 59 keV photopeak unless indicated otherwise. Contamination was assumed to be evenly distributed within the material to the depth indicated. When surface contamination within the detector FOV was identified, modeling parameters were adjusted accordingly. Total alpha values reported were calculated from assay values for Am-241 using a multiplication factor of 8.23 obtained from TBD-00076 (34 year old wgPu), unless otherwise indicated. Pu239/240 values were empirically derived based upon RFETS WgPu ratios. Matrices and depths were chosen based on information provided by project personnel.

Final results are provided within the attached "Survey Results" report.

Analyst: _____

Date: _____

Reviewer: _____

Date: _____

CC: ES files

Eberline Services - RFETS
Survey Results
04/01/04

Building 774 Room 241 Floor Surveys

Map/Room	Map ID	Area Type	Detect?	Detector	Spectrum File ID	SNAP Am241 Activity Concentration (nCi/g)	SNAP Am241 Activity Concentration MDA (nCi/g)	Pu-239/240 Activity Concentration (nCi/g)	Total Alpha Concentration (Am-241/Pu-239/240) (nCi/g)	Assumed Contamination Depth (2) (inches)	Assumed Total (2) Thickness (inches)	Estimated Average Pu-239/240 Slab Activity Concentration (nCi/g)	Estimated Average Pu-239/240+Am-241 Slab Activity Concentration (nCi/g)	Notes	Total Error +2s (%)
Floor Area 01	Rm 241	floor	Y	33-TN40488A	03250401	1.25E-01	2.27E-02	8.69E-01	9.94E-01	0.06	7.00	7.45E-03	8.52E-03	(3)	60.8
Floor Area 02	Rm 241	floor	Y	33-TN40488A	03250402	8.42E-02	2.30E-02	5.85E-01	6.69E-01	0.06	7.00	5.02E-03	5.74E-03	(3)	62.1
Floor Area 03	Rm 241	floor	Y	33-TN40488A	03250403	1.42E-01	2.39E-02	9.87E-01	1.13E+00	0.06	7.00	8.46E-03	9.68E-03	(3)	60.7
Floor Area 04	Rm 241	floor	Y	33-TN40488A	03250404	1.47E-01	2.38E-02	1.02E+00	1.17E+00	0.06	7.00	8.76E-03	1.00E-02	(3)	60.6
Floor Area 05	Rm 241	floor	Y	33-TN40488A	03260401	1.72E-01	2.29E-02	1.20E+00	1.37E+00	0.06	7.00	1.02E-02	1.17E-02	(3)	60.3
Floor Area 06	Rm 241	floor	Y	33-TN40488A	03260402	6.55E-02	2.38E-02	4.55E-01	5.21E-01	0.06	7.00	3.90E-03	4.46E-03	(3)	63.9
Floor Area 07	Rm 241	floor	Y	33-TN40488A	03260403	1.15E-01	2.32E-02	7.99E-01	9.14E-01	0.06	7.00	6.85E-03	7.84E-03	(3)	61.1
Floor Area 08	Rm 241	floor	Y	33-TN40488A	03260404	4.48E-01	2.35E-02	3.11E+00	3.56E+00	0.06	7.00	2.67E-02	3.05E-02	(3)	59.8
Floor Area 09	Rm 241	floor	Y	33-TN40488A	03260405	1.53E-01	2.33E-02	1.06E+00	1.22E+00	0.06	7.00	9.12E-03	1.04E-02	(3)	60.5
Floor Area 10	Rm 241	floor	Y	33-TN40488A	04010401	3.08E-01	5.59E-02	2.14E+00	2.45E+00	0.06	7.00	1.84E-02	2.10E-02	(3)	61
Floor Area 11	Rm 241	floor	Y	33-TN40488A	04010402	7.12E-01	5.80E-02	4.95E+00	5.66E+00	0.06	7.00	4.24E-02	4.85E-02	(3)	60
Floor Area 12	Rm 241	floor	Y	33-TN40488A	04010403	2.25E-01	5.97E-02	1.56E+00	1.79E+00	0.06	7.00	1.34E-02	1.53E-02	(3)	62.2
Floor Area 13	Rm 241	floor	Y	33-TN40488A	04010404	1.42E-01	5.73E-02	9.87E-01	1.13E+00	0.06	7.00	8.46E-03	9.68E-03	(3)	65.1
Floor Area 14	Rm 241	floor	Y	33-TN40488A	04010405	8.14E-02	5.58E-02	5.66E-01	6.47E-01	0.06	7.00	4.85E-03	5.55E-03	(3)	73.5
Floor Area 15	Rm 241	floor	Y	33-TN40488A	04010406	2.10E-01	5.68E-02	1.46E+00	1.67E+00	0.06	7.00	1.25E-02	1.43E-02	(3)	62.3

- NOTES:
- Specific activity values for each isotope are taken from TBD-00076, "Activities for Isotopes of Concern in Weapons Plutonium as a Function of Time", for 34 year old plutonium.
 - Assumed contamination depth and total material thickness are estimates based on information provided by project personnel.
 - No Pu239 peaks were identified. Pu239 values are based on Am241 RFETS WgPu mix.

Attachment 1

EBERLINE SUMMARY OF GAMMA SPECTROSCOPY DATA ANALYSES

Project Number: Bldg. 771/774, Sarah Roberts

Gamma Spectroscopy System: Brutus2003

QC Count Filename(s): 032504qc.chn, 032604qc.chn, 040104qc.chn

Background Filename(s): 032504b1

Item Barcodes, Spectrum ID numbers, and waste descriptions can be found in Attachment 2.

QUALIFIED SPECTROSCOPISTS COMMONLY UTILIZE THE FOLLOWING TECHNIQUES IN THE PROCESS OF ANALYZING MEASUREMENT DATA. THE USE OF SOME TECHNIQUES IS BASED ON THE PROFESSIONAL JUDGMENT OF THE ANALYST.

Background Stripping: Subtraction of the background spectrum from the item spectrum.

Geometry/Attenuation Corrections: Correction for source-to-detector geometry, and the attenuation of gamma-rays through the waste matrix and container walls.


Multiple Peak Averaging: Averaging of activities over multiple gamma emission peaks from the same radionuclide or radionuclides which are expected to be in equilibrium with one another.

Multiple Geometries: Characterization of the distribution of contamination in a waste item by measuring from multiple sides or positions (this frequently includes rotation of the waste item during the count). This allows the spectroscopist to weight the contamination model accordingly and reduce the overall uncertainty in the assay result.

Automated Reports: Programmed batch routines perform peak searches and calculate net area counts for each spectrum analyzed.

Active Spectrum Review: All spectra are visually reviewed and the final radionuclide peak identifications are performed using the Table of Radioactive Isotopes by Browne and Firestone, or an equivalent reference. Energy lines reported in peak summary tables are not necessarily considered valid by the reviewing analyst. Peaks determined as invalid often include naturally occurring radionuclides which were not identified in the background spectrum, or statistically insignificant peaks caused by slight fluctuations in the Compton continuum. Statistically insignificant peaks are identified as "SF", or statistical fluctuations. In addition, valid peaks are occasionally missed by the automated peak search routine. Valid peaks not identified by the automated search routine are manually evaluated by the analyst.

Relative Efficiency: There are some cases where the activity for a nuclide may be calculated using relative efficiency methods. These cases will be denoted with an asterisk (*) in Table 1.



Radiological Survey Record

INSTRUMENT DATA

Mfg: <u>Eberline</u>	Mfg: <u>/</u>	Mfg: <u>/</u>
Model: <u>Sac-4</u>	Model: <u>/</u>	Model: <u>/</u>
Serial #: <u>1488</u>	Serial #: <u>NA</u>	Serial #: <u>NA</u>
Cal Due: <u>10-12-04</u>	Cal Due: <u>NA</u>	Cal Due: <u>NA</u>
Bkg: <u>0.3</u>	Bkg: <u>/</u>	Bkg: <u>/</u>
Efficiency: <u>33%</u>	Efficiency: <u>/</u>	Efficiency: <u>/</u>
MDA: <u>20 dpm</u>	MDA: <u>/</u>	MDA: <u>/</u>
Mfg: <u>/</u>	Mfg: <u>/</u>	Mfg: <u>/</u>
Model: <u>/</u>	Model: <u>/</u>	Model: <u>/</u>
Serial #: <u>NA</u>	Serial #: <u>NA</u>	Serial #: <u>NA</u>
Cal Due: <u>NA</u>	Cal Due: <u>NA</u>	Cal Due: <u>NA</u>
Bkg: <u>/</u>	Bkg: <u>/</u>	Bkg: <u>/</u>
Efficiency: <u>/</u>	Efficiency: <u>/</u>	Efficiency: <u>/</u>
MDA: <u>/</u>	MDA: <u>/</u>	MDA: <u>/</u>

Building: 774

Location: 341 Plenum

Purpose: Release Survey

RWP #: 40004

Date: 4-29-04 Time: 14:30

RCT: P. Wright P. Wright
Print name Signature

RCT: NA NA NA
Print name Signature Emp. #

Comments: Large area wipes are 1 m² unless otherwise noted. Dose rate survey results are recorded directly on maps or drawings on reverse side. All dose rate readings are in μ rem/hr unless otherwise noted.

Applied fixative to previously surveyed areas.

Survey Tracking #: 771M-04 1292

Air Sample Tracking #: 771-04-A-NA



ID	Location	wipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/100cm ²	ID	Location	wipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/100cm ²
1	Filter Rack	220	NA	NA	21	Floor	220	NA	NA
2					22				
3					23				
4					24				
5					25				
6					26				
7					27				
8					28				
9					29				
10					30				
11					31				
12					32				
13					33				
14					34				
15					35	Floor	220		
16					36	NA	NA		
17					37				
18					38				
19	Filter Rack				39				
20	Floor	220			40				

Date Reviewed: 4-30-04

RCT Supervisor: W. L. Wright
Print Name Signature

Survey Record
Drawing(s) Showing Survey Points

Bay #1 (North)



Radiological Survey Record

INSTRUMENT DATA

Mfg: <u>Eberline</u>	Mfg: <u>N/A</u>	Mfg: <u>N/A</u>
Model: <u>Sac-4</u>	Model: <u>N/A</u>	Model: <u>N/A</u>
Serial #: <u>1488</u>	Serial #: <u>N/A</u>	Serial #: <u>N/A</u>
Cal Due: <u>10-12-04</u>	Cal Due: <u>N/A</u>	Cal Due: <u>N/A</u>
Bkg: <u>0.3</u>	Bkg: <u>N/A</u>	Bkg: <u>N/A</u>
Efficiency: <u>33%</u>	Efficiency: <u>N/A</u>	Efficiency: <u>N/A</u>
MDA: <u>2.0 dpm</u>	MDA: <u>N/A</u>	MDA: <u>N/A</u>
Mfg: <u>N/A</u>	Mfg: <u>N/A</u>	Mfg: <u>N/A</u>
Model: <u>N/A</u>	Model: <u>N/A</u>	Model: <u>N/A</u>
Serial #: <u>N/A</u>	Serial #: <u>N/A</u>	Serial #: <u>N/A</u>
Cal Due: <u>N/A</u>	Cal Due: <u>N/A</u>	Cal Due: <u>N/A</u>
Bkg: <u>N/A</u>	Bkg: <u>N/A</u>	Bkg: <u>N/A</u>
Efficiency: <u>N/A</u>	Efficiency: <u>N/A</u>	Efficiency: <u>N/A</u>
MDA: <u>N/A</u>	MDA: <u>N/A</u>	MDA: <u>N/A</u>


Building: 774

Location: 341 plenum

Purpose: Release Survey

RWP #: 40004

Date: 4-29-04 Time: 1400

RCT: B. Wright R. Ralston 

Print name Signature

RCT: na na na

Print name Signature Emp. #

Comments: Large area wipes are 1 m² unless otherwise noted. Dose rate survey results are recorded directly on maps or drawings on reverse side. All dose rate readings are in μ rem/hr unless otherwise noted.

Applied fixative to previously surveyed areas

Survey Tracking #: 771M-04-1291

Air Sample Tracking #: 771-04-A-na

ID	Location	Swipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/100cm ²	ID	Location	Swipe dpm/100cm ²	direct dpm/100cm ²	wipe dpm/100cm ²
1	Filter rack	420	na	na	21	Filter rack	420	na	na
2					22				
3					23				
4					24				
5					25	Filter rack			
6					26	Floor			
7					27				
8					28				
9					29				
10					30				
11					31				
12					32				
13					33				
14					34				
15					35				
16					36	Floor	420		
17					37	na	na		
18					38				
19					39				
20	Filter rack	420			40				

Date Reviewed: 4-30-04

RCT Supervisor: Walter M. ...

Print Name

Signature

Emp. #

Survey Record
Drawing(s) Showing Survey Points

Bay #2

Filter
Rack

